

Aluminium & Glass Fibre Steps/Ladders



Climb-It® Platform Plus Steps

- » **Certified to EN 14183 standard**
- » Compact storage, ideal for storing in small gaps
- » Aluminium construction, with non-slip feet
- » Distance between the top platform & handrail is 595mm providing safety when in use
- » Large platform size: 350W x 320D mm

Climb-It®
Platform Plus

i Information

**LARGE PLATFORM
350W x 320DMM
FOR SUPERIOR USER
COMFORT & SAFETY**



No. of Treads	Height of top tread mm	Overall Size - Open H x W x D mm	Overall Size - Folded H x W x D mm	Weight kg	Model	Price
2	460	1075 x 555 x 476	1170 x 476 x 98	4	FS122Z	£82.15
3	690	1310 x 703 x 500	1420 x 500 x 98	6	FS123Z	£104.55
4	930	1515 x 935 x 540	1665 x 540 x 105	8	FS124Z	£123.80

Folding Steps with Soft Grip Handle

- » Tubular steel construction, fitted with non-slip treads, non-slip feet & soft grip foam handle, giving a comfortable backing when used as a seat
- » Tread size: 380W x 260Dmm



i Information

**SOFT GRIP
HANDLE FOR
YOUR COMFORT**

**FROM ONLY
£62.30**



No. of Treads	Height of top tread mm	Overall Size - Open H x W x D mm	Overall Size - Folded H x W x D mm	Weight kg	Model	Price
2	480	900 x 475 x 490	990 x 475 x 75	4	GS402Z	£62.30
3	725	1180 x 460 x 670	1310 x 460 x 90	6	GS403Z	£76.40
4	980	1435 x 500 x 850	1580 x 500 x 90	8	GS404Z	£102.65

Climb-It® Slim Folding Steps

- >> **Certified to EN 14183 standard**
- >> Compact storage, ideal for storing in small gaps
- >> Aluminium construction, with non-slip feet
- >> Distance between the top platform & handrail is 600mm providing safety when in use
- >> Large platform size: 330W x 260D mm



Information
SLIM FOLDING STEP FOR STORING IN SMALL GAPS

Information
DEEP TREADS FOR INCREASED SAFETY & STABILITY



No. of Treads	Height of top tread mm	Overall Size - Open H x W x D mm	Overall Size - Folded H x W x D mm	Weight kg	Model	Price
2 with Handrail	450	1050 x 475 x 565	1160 x 475 x 55	4	FS192Z	£89.60
3 with Handrail	680	1280 x 475 x 745	1410 x 475 x 55	5.5	FS193Z	£108.80
4 with Handrail	910	1510 x 475 x 915	1660 x 475 x 55	7	FS194Z	£126.20

Folding Aluminium Handy Steps



- >> **Certified to EN 14183 (FS253Z) & EN 131 (FS369Z)**
- >> Strong & sturdy folding aluminium steps
- >> Large (365W x 131D mm) durable platform for safe & comfortable standing
- >> Featuring strengthening braces & support straps

No. of Treads	O/A Size - In Use H x W x D mm	O/A Size - Folded H x W x D mm	Wt kg	Model	Price	Price (each) 2+
2	443 x 416 x 439	490 x 416 x 164	2.5	FS253Z	£61.35	£55.00
3	649 x 441 x 596	720 x 441 x 164	3.5	FS369Z	£82.20	£75.60



Aluminium & Glass Fibre Steps/Ladders

Step-A-Trucks

- >> Versatile - neat & compact
- >> Large toe plate & wide step treads
- >> Load capacity: as sack truck - 60kg & as step unit - 150kg
- >> Multi purpose, simple & easy to convert from step to sack truck
- >> When in sack truck mode they are mobile on two 100mm wheels



SOFT GRIP
FOAM RUBBER
HANDLE

NON SLIP
PLASTIC
TREADS

FMS83Y as
Step Unit



FMS82Y as
Step Unit

FROM ONLY
£106.15



PRICES
HELD

FOLD AWAY
WHEELS



FMS83Y
as Sack
Truck



Easy to
move into
position

No. of Treads	Overall Size - W x D x H mm			Platform Height mm	Sack Truck Toe Plate	Step Tread Size	Weight kg	Model	Price 1 Off	Price (each) 2+
	Folded	as Sack Truck	as Step Unit							
2	460 x 70 x 990	480 x 490 x 990	470 x 530 x 920	490	390 x 280 mm	375 x 210 mm	6.5	FMS82Y	£114.95	£106.15
3	470 x 90 x 1265	490 x 450 x 1265	470 x 735 x 1190	750			9	FMS83Y	£132.95	£121.15

Folding Steps

- >> Conforms to EN 14183
- >> Tubular steel & non-slip treads
- >> Only 70mm deep when folded for easy compact storage
- >> Tread size: 300W x 200Dmm
- >> Subject to availability



FROM ONLY
£73.50



FS204Z

FS203Z

Folding Steps with High Back

- >> Certified to EN 14183
- >> High safety rail, non-slip treads & feet
- >> Tread size: 380W x 260Dmm
- >> Subject to availability



ONLY
£67.65



PRICE
HELD

FJS64Z

No. of Treads	Height of top tread	Overall Size when open H x W x D mm	Folded Height mm	Wt kg	Model	Price
3	710	1050 x 410 x 670	1180	6	FS203Z	£73.50
4	940	1300 x 410 x 810	1440	8	FS204Z	£85.80

No. of Treads	Height of top tread mm	Overall Size when open H x W x D mm	Overall Size when folded H x W x D mm	Wt kg	Model	Price
4	960	1560 x 520 x 810	1600 x 520 x 140	12.5	FJS64Z	£67.65

Climb-It® Easy Slope Aluminium Folding Leader Steps

- » **Certified to EN 14183**
- » Aluminium folding steps are ideal for use in offices, storerooms, warehouses etc.
- » Large aluminium serrated treads (360W x 205Dmm) & high handrail offer increased safety during use
- » Tilt & pull wheels for easy movement without lifting
- » Easy slope incline
- » Folded size: only 130mm deep

Climb-It®

AFGS4Z

£238.55

Only
130mm
when
Folded

AFGS3Z

£210.40



**PRICES
HELD**

AFGS3Z
Folded

AFGS3Z

AFGS4Z

Information

ROBUST & STURDY

Tool Tray - on 3
& 4 tread models



**3 day
delivery**



**NEXT DAY
DELIVERY AVAILABLE
Call for details**



AFGS2Z -
Tilt & Pull

AFGS2Z

£174.05

AFGS2Z

AFGS2Z
Folded

Description	Platform Height mm	Overall Size - In Use H x W x D mm	Overall Size - Folded H x W x D mm	Weight kg	Model	Price
2 Tread with Aluminium Treads	440	825 x 535 x 555	775 x 535 x 130	6.5	AFGS2Z	£174.05
3 Tread with Aluminium Treads	660	1260 x 550 x 840	1075 x 550 x 130	9	AFGS3Z	£210.40
4 Tread with Aluminium Treads	880	1480 x 570 x 1130	1380 x 570 x 130	11	AFGS4Z	£238.55


Climb-It® Aluminium Swingback Stepladders



FROM ONLY
£131.90




- » **Certified to EN 131 Professional**
- » Meets all strength requirements of BS2037 Class 1
- » Deep 80mm serrated non-slip treads with ridge reinforcement & double riveting for maximum durability & comfort
- » Large ribbed channel section stiles, box section back legs, steel hinge & reinforced horns for improved resistance to heavy usage
- » No tapes or flimsy arms to break
- » Hard wearing, non-slip feet for maximum grip on all floor surfaces
- » Integral tool tray for convenient storage



(i) Information

**IDEAL FOR
MAINTENANCE
APPLICATIONS**



No. of Treads inc. Tray	Closed Height mm	Open Depth mm	Wt. kg	Without Handrails		With Handrails	
				Model	Price	Model	Price
4	1190	700	5	CTS04Z	£131.90	CTS14Z	£177.80
5	1440	1000	6	CTS05Z	£147.25	CTS15Z	£193.15
6	1680	1200	7	CTS06Z	£158.20	CTS16Z	£204.15
7	1930	1300	8	CTS07Z	£173.15	CTS17Z	£219.05

No. of Treads inc. Tray	Closed Height mm	Open Depth mm	Wt. kg	Without Handrails		With Handrails	
				Model	Price	Model	Price
8	2170	1500	9	CTS08Z	£189.15	CTS18Z	£251.45
10	2660	1900	11	CTS10Z	£220.95	CTS20Z	£283.25
12	3150	2200	13	CTS12Z	£253.60	CTS22Z	£315.90

Climb-It® Aluminium Stepladders

- >> **Certified to EN 131 Professional**
- >> Meets all strength requirements of BS2037 Class 1
- >> Deep 80mm serrated non-slip treads with ridge reinforcement & double riveting for maximum durability & comfort
- >> Large ribbed channel section stiles, box section back legs, steel hinge & reinforced horns for improved resistance to heavy usage
- >> No tapes or flimsy arms to break
- >> Hard wearing, non-slip feet for maximum grip on all floor surfaces
- >> Integral tool tray for convenient storage



FROM ONLY
£170.55



Handrails Available

CPS05Z

CPS07Z

i Information

IDEAL FOR MANY APPLICATIONS & INDUSTRIES



Complete with Integral Tool Tray



No. of Treads	Platform Height mm	Closed Height mm	Wt. kg	Without Handrails		With Handrails	
				Model	Price	Model	Price
3	600	1370	6.5	CPS03Z	£170.55	CPS13Z	£216.45
4	900	1600	7.3	CPS04Z	£185.10	CPS14Z	£231.00
5	1100	1840	8	CPS05Z	£196.80	CPS15Z	£242.70
6	1300	2090	9	CPS06Z	£209.40	CPS16Z	£255.30

No. of Treads	Platform Height mm	Closed Height mm	Wt. kg	Without Handrails		With Handrails	
				Model	Price	Model	Price
7	1600	2330	10	CPS07Z	£227.00	CPS17Z	£272.90
8	1800	2580	11	CPS08Z	£243.30	CPS18Z	£305.60
10	2200	3070	13	CPS10Z	£306.65	CPS110Z	£368.95
12	2700	2450	15	CPS12Z	£335.65	CPS112Z	£397.95

Aluminium Folding Steps



FROM ONLY
£71.45

- » **Certified to EN 131 Professional**
- » Strong, lightweight & robust aluminium platform range
- » Distance between the platform & top handrail is 600mm providing safety at high levels
- » Tread depth: 80mm



Rubber feet provide slip resistance & floor protection



Fitted with high tensile straps



Slim design which is ideal for storage & transport

No. of Treads	Platform Height mm	Open Size H x W x D mm	Folded Height mm	Weight kg	Model	Price
3	610	1220 x 427 x 657	1250	3.2	ALR03Z	£71.45
4	830	1440 x 452 x 811	1490	3.8	ALR04Z	£85.75
5	1050	1660 x 476 x 967	1730	4.5	ALR05Z	£102.05
6	1270	1860 x 500 x 1127	1970	5.9	ALR06Z	£122.45
8	1705	2315 x 555 x 1437	2450	8.1	ALR08Z	£153.10

ALR06Z

Professional Aluminium Folding Steps



AFA06Z

AFA04Z

- » **Certified to EN 131 Professional**
- » Large working platform - 275W x 400Dmm
- » Deep non-slip aluminium treads
- » These units have an extra large standing platform, twin handrails, handy work tray & high support rail
- » Distance from platform to top hand rail: 750mm



High Support Rail



Tool Tray



Large Platform

No. of Treads	Platform Height mm	Overall Size - In Use H x W x D mm	Overall Height when folded	Weight kg	Model	Price
3	580	1330 x 445 x 805	1420 mm	5	AFA03Z	£154.60
4	800	1550 x 465 x 955	1660 mm	6	AFA04Z	£178.95
5	1020	1775 x 490 x 1110	1900 mm	6.5	AFA05Z	£198.85
6	1250	2000 x 515 x 1260	2140 mm	7.5	AFA06Z	£218.65
7	1470	2225 x 535 x 1415	2380 mm	9	AFA07Z	£248.50

Double Decker



ALT-502113
Folded



TOOL TRAY &
BUCKET HOOK

FROM ONLY
£117.40



UNIQUE DOUBLE
STEP & RUBBER
PLATFORM STRIP
FOR EXTRA
COMFORT



ALT-502115

- » **Certified to EN 131 Professional**
- » Integral toolholder, bucket hook & screwtray
- » A quality professional aluminium stepladder. These units come complete with heavy-duty sturdy rubber anti-slip feet to make this a superior, professional, stepladder
- » The aluminium platform features a red safety strip - indicator for maximum recommended step height & protective edge to prevent cuts & grazes
- » Patented large double step underneath the platform for safe & comfortable standing



ALT-502105

Double Decker

No. of Treads	Platform Height	O/A Size - In Use H x W x D mm	Folded Height mm	Wt kg	Model	Price
3	616mm	1244 x 470 x 723	1426	3.8	ALT-502103	£117.40
4	828mm	1461 x 496 x 869	1656	4.4	ALT-502104	£129.60
5	1041mm	1677 x 525 x 1016	1887	5	ALT-502105	£145.70
6	1253mm	1893 x 552 x 1163	2117	6.1	ALT-502106	£160.50
7	1465mm	2110 x 580 x 1309	2348	7.2	ALT-502107	£178.20
8	1677mm	2326 x 607 x 1456	2529	8.4	ALT-502108	£194.40

Double Decker with Handrails

No. of Treads	Platform Height	O/A Size - In Use H x W x D mm	Folded Height mm	Wt kg	Model	Price
3	616mm	1244 x 470 x 723	1426	4.8	ALT-502113	£161.95
4	828mm	1461 x 496 x 869	1656	5.4	ALT-502114	£174.15
5	1041mm	1677 x 525 x 1016	1887	6	ALT-502115	£190.25
6	1253mm	1893 x 552 x 1163	2117	7.1	ALT-502116	£205.05
7	1465mm	2110 x 580 x 1309	2348	8.2	ALT-502117	£222.75
8	1677mm	2326 x 607 x 1456	2529	9.4	ALT-502118	£238.95

Aluminium & Glass Fibre Steps/Ladders

Aluminium Wide Steps



ALP04Z

- >> **Certified to EN 131 Professional**
- >> Wheels at the back of the unit make this range of steps easy to manoeuvre
- >> The unit incorporates a safety chain at the front of the platform for increased safety
- >> Platform size: 400D x 600W mm

No. of Treads	Platform Height mm	Open Height mm	Closed Height mm	Weight kg	Model	Price
2	380	1430	1580	6	ALP02Z	£333.35
3	615	1645	1790	8	ALP03Z	£367.90
4	830	1850	1970	9	ALP04Z	£396.45
5	1040	2040	2260	10	ALP05Z	£428.60
6	1270	2280	2500	11	ALP06Z	£465.50
7	1480	2470	2790	12	ALP07Z	£496.45
8	1690	2660	3080	13	ALP08Z	£536.95



FROM ONLY
£333.35

Climb-It® Aluminium Warehouse Steps

- >> Strong but lightweight aluminium & steel construction
- >> Permanently fixed bracing for improved strength & durability
- >> Handrails on both sides for stability whilst climbing
- >> Deep 80mm serrated non-slip treads with ridge reinforcement & double riveting at each corner for maximum durability
- >> Large ribbed channel section stiles, box section back legs & reinforced bottom tread for improved resistance to heavy usage
- >> Hard wearing, non-slip feet for maximum grip on all floor surfaces
- >> Wheels at the back of the unit make this range of steps easy to manoeuvre



i Information

IDEAL FOR MANY APPLICATIONS & INDUSTRIES

Climb-It®

No. of Treads	Platform Height mm	Size W x D mm	Weight kg	Model	Price
4	1000	510 x 1000	9	CWH04Z	£346.90
5	1200	530 x 1100	10	CWH05Z	£375.45
6	1500	550 x 1200	11	CWH06Z	£404.05

No. of Treads	Platform Height mm	Size W x D mm	Weight kg	Model	Price
8	2000	600 x 1400	16	CWH08Z	£463.70
10	2500	660 x 1700	20	CWH10Z	£556.15
12	3000	700 x 1900	24	CWH12Z	£630.65

Aluminium & Glass Fibre Steps/Ladders

Climb-It® Aluminium Library Steps

- » Robust fixed-frame designed for servicing machinery
- » Large 420 x 400mm chequer plate platform gives ample workspace & grip
- » Deep 80mm serrated non-slip treads with ridge reinforcement & double riveting at each corner for maximum durability
- » Large ribbed channel section stiles, box section back legs & reinforced bottom tread for improved resistance to heavy usage
- » Hard wearing, non-slip feet for maximum grip on all floor surfaces
- » Available as a double sided step unit - *call for details*

Climb-It®



CMS03Z



CMS14Z



Information

STRAIGHT BACKED
FOR CLOSER
ACCESS



No. of Treads	Overall Size W x D mm	Platform Height mm	Units without Handrails			Units with Handrails		
			Weight	Model	Price	Weight	Model	Price
3	480 x 800	700	7.5 kg	CMS03Z	£242.20	10.5 kg	CMS13Z	£484.50
4	510 x 900	1000	8.5 kg	CMS04Z	£271.65	11.5 kg	CMS14Z	£513.95
5	540 x 1100	1200	9.5 kg	CMS05Z	£301.15	12.5 kg	CMS15Z	£543.40
6	570 x 1200	1500	10.5 kg	CMS06Z	£334.25	13.5 kg	CMS16Z	£599.35
7	590 x 1400	1700	11.5 kg	CMS07Z	£374.05	14.5 kg	CMS17Z	£639.15

Telescopic Ladder with Stabiliser Bar

- >> **Certified to EN 131 standard**
- >> To open the unit lift from any step dependent on the height you are trying to achieve. The step can be adjusted all in one go or step by step to suit your requirements
- >> Folds quickly & easily for compact storage
- >> Controlled retraction to guard against trapped fingers
- >> One time release locking mechanism
- >> Manufactured in strong aluminium
- >> For safe use, do not stand on or above the red rung



NEW spacers allow the unit to sit away from the wall at the top in line with new EN 131 regulations



Folds quickly & easily for compact storage. Simply push the buttons to close. The unit has a flange in the legs which restricts air flow and therefore gives controlled retraction to compact the unit smoothly from 3810mm extended height to 910mm closed height



No. of Rungs	Extended Height mm	Closed Height mm	Weight kg	Model	Price
13	3810	910	14.5	GXF21Z	£262.75



GXF21Z
In Use



CLW05Z
£289.65



5 Way Combination Ladder

- » Combines a stepladder, extension ladder, stairwell ladder, work platform & stairwell platform
- » Complete with large platform for increased safety
- » Rigid construction with wide base stabilisers

CLW05Z
Stairwell
Ladder



CLW05Z
Stairwell
Platform



CLW05Z
Work
Platform



CLW05Z
Extended
Ladder



CLW05Z
Stepladder



No of Rungs	Base to Platform mm	Closed Height mm	Stepladder Height mm	Extended Length mm	Weight kg	Model	Price
2 x 5	850	1550	1490	2480	17	CLW05Z	£289.65

Extension Ladders

- » Meets new improved strength & slip-tests in BS EN131-2:2010 + A2:2017
- » Stabiliser comes as standard on all ladders that extend beyond 3m
- » Large 32mm serrated Trilobular rungs with 4-way crimp & swage design for maximum durability & comfort
- » Rungs orientate flat when erected at correct climbing angle to give stable standing surface
- » Deep serrated rubber feet for maximum grip on all surfaces
- » Heavy duty galvanised steel locking catch standard on all extension ladders

No. of Rungs	Closed Height mm	Extended Height mm	Weight kg	Model	Price
Two Section Push Up Ladders					
2 x 9	2500	4000	10.5	DEL209	£238.75
2 x 11	3000	5000	12.5	DEL211	£259.00
2 x 13	3500	6000	14.5	DEL213	£314.25
2 x 15	4000	7000	19	DEL215	£363.55
2 x 17	4500	8000	22.5	DEL217	£416.05
2 x 19	5000	9000	25	DEL219	£447.60
2 x 21	5500	10,000	30	DEL221	£509.95
Three Section Push Up Ladders					
3 x 9	2600	5500	17.5	TEL309	£338.75
3 x 11	3000	7000	21	TEL311	£382.50
3 x 13	3500	8500	26.5	TEL313	£481.05
3 x 15	4000	10,000	34	TEL315	£563.45



manufactured



Combination Ladder

- » Meets new improved strength & slip-tests in BS EN131-2:2010 + A2:2017
- » Super-lightweight & sturdy aluminium design ensures easy handling
- » 3 modes of operation for ultimate flexibility
- » Stabiliser as standard to ensure maximum stability
- » Deep serrated rubber feet for maximum grip on all surfaces
- » Locking catch keeps the sections secure during use & storage.



CL307

**FROM ONLY
£418.60**



CL313

No. of Rungs	Closed Length mm	Extended Length mm	Open Depth mm	Weight kg	Model	Price
3 x 7	2000	4000	500	14	CL307	£418.60
3 x 9	2500	5500	700	18.5	CL309	£491.70
3 x 11	3000	7000	1000	22	CL311	£573.15
3 x 13	3500	8500	1200	27.5	CL313	£688.80



Aluminium & Glass Fibre Steps/Ladders

Climb-It® Glass Fibre Swingback Stepladders

- >> **Certified to EN 131 Professional**
- >> Rubber feet & aluminium side arms help prevent slips & twists as there are no tapes or flimsy arms to break
- >> Lightweight & easy to carry
- >> Integral tool tray incorporates a bucket hook & 110mm & 180mm recesses for holding paint cans



i Information
INSULATED TO 30,000 VOLTS



Climb-It®



LOWER PRICES

No. of Treads	Open Size H x W x D mm	Folded Height mm	Weight kg	Model	Price
3	950 x 460 x 780	1060	5.5	GFS33Z	£106.75
4	1190 x 490 x 890	1300	6.5	GFS34Z	£130.15
5	1390 x 530 x 990	1560	7.5	GFS35Z	£152.80

No. of Treads	Open Size H x W x D mm	Folded Height mm	Weight kg	Model	Price
6	1550 x 560 x 1230	1830	8.5	GFS36Z	£173.95
7	1890 x 590 x 1340	2080	10	GFS37Z	£194.45
8	2130 x 625 x 1500	2290	11	GFS38Z	£217.85

Climb-It® Glass Fibre Platform Stepladders

- >> **Certified to EN 131 Professional**
- >> Rubber feet & aluminium side arms help prevent slips & twists as there are no tapes or flimsy arms to break
- >> Lightweight steps with high safety rail providing added safety when working at high levels
- >> Integral tool tray incorporates a bucket hook & 110mm & 180mm recesses for holding paint cans

Climb-It®



Information

INSULATED TO 30,000 VOLTS



GFP43Z



GFP46Z

Complete with Integral Tool Tray



LOWER PRICES

No. of Treads	Platform Height mm	Open Size H x W x D mm	Folded Height mm	Wt kg	Model	Price
3	725	1350 x 490 x 810	1490	8	GFP43Z	£160.60
4	950	1590 x 525 x 970	1740	9	GFP44Z	£182.10
5	1190	1930 x 555 x 1130	1980	10	GFP45Z	£204.90

No. of Treads	Platform Height mm	Open Size H x W x D mm	Folded Height mm	Wt kg	Model	Price
6	1420	2054 x 585 x 1300	2260	11	GFP46Z	£227.80
7	1650	2280 x 620 x 1460	2490	12	GFP47Z	£249.25
8	1885	2530 x 650 x 1610	2740	14	GFP48Z	£270.65

Aluminium & Glass Fibre Steps/Ladders



GLF75Z

Glass Fibre Wide Steps

- » Certified to EN 131 Professional
- » Manufactured from a glass fibre frame with aluminium treads
- » Wheels at the back of the unit make this range of steps easy to manoeuvre
- » The unit incorporates a safety chain at the front of the platform for increased safety
- » Platform size: 400W x 600D mm

Information

INSULATED TO 30,000 VOLTS



GLF72Z

No. of Treads	Open Height mm	Platform Height mm	Closed Height mm	Weight kg	Model	Price
2	1410	380	1570	8	GLF72Z	£362.90
3	1620	610	1780	9	GLF73Z	£400.00
4	1840	830	1980	11	GLF74Z	£438.10
5	2050	1050	2220	14	GLF75Z	£472.40
6	2260	1260	2490	16	GLF76Z	£516.20
7	2470	1480	2730	18	GLF77Z	£568.60
8	2700	1710	2960	20	GLF78Z	£618.10

V3 - Glass Fibre Ladder

- » Certified to EN 131 Professional & EN 50528
- » Locking mechanism to ensure increased safety
- » Roller wheels for ease of movement on a building/against a wall
- » Available for use as a stepladder, extension ladder or freestanding extension ladder



Wall Wheels



Stabiliser Bar



SV-V3-3x8

No. of Rungs	Closed Length mm	Extended Length mm	Overall Height in A position mm	Weight kg	Model	Price
3 x 8	2400	5470	2300	21	SV-V3-3x8	£809.05
3 x 10	3000	7450	2900	32	SV-V3-3x10	£1109.85

Climb-It® Glass Fibre Podium Steps

- >> **Certified to EN 131 Professional**
- >> Large platform: 406W x 475Dmm with kick boards
- >> Podium steps with high safety rail, which is 950mm above the platform, provides added safety when working at high levels
- >> Includes an integral tool tray
- >> Wheels enable easy positioning (when folded)
- >> Rubber feet & aluminium side arms help prevent slips & twists
- >> Stabilisers on the GFP55Z, GFP56Z, GFP57Z & GFP58Z gives increased safety & stability when working at height



No. of Treads	Platform Height mm	Open Size H x W x D mm	Weight kg	Model	Price
3	805	1755 x 644 x 935	15	GFP53Z	£334.60
4	1090	2040 x 684 x 1122	16.5	GFP54Z	£381.90
5	1375	2325 x 724 x 1308	17.5	GFP55Z	£454.30

No. of Treads	Platform Height mm	Open Size H x W x D mm	Weight kg	Model	Price
6	1660	2610 x 764 x 1495	18.5	GFP56Z	£489.20
7	1945	2895 x 804 x 1681	19.5	GFP57Z	£522.90
8	2230	3180 x 844 x 1868	20.5	GFP58Z	£579.15

Ladder Log Inspection Systems

The Ladder Log Inspection System is a simple & straightforward process to ensure you are complying with the work at height regulations of 2005. Carry out a full inspection of your ladder every 3 to 6 months, file the paperwork & give the user a visual sign the equipment is safe to use.

The range consists of reversible tags slotted into holders or a self-adhesive plastic sticker. Both variations of this tag enable the user to record their asset reference alongside the date & time it was last inspected, as well as the name of the competent person who inspected the ladder.





**PRICES
HELD**

Description	Model	Price (each) 0-49 off	Price (each) 50-250 off	Price (each) 251+ off
Reversible Tag	LLRT01	£1.25	£1.00	£0.88
Tag Holder	LLTH02	£2.73	£2.22	£2.05
Green Sticker	LLGS03	£2.06	£1.63	£1.38
Red Sticker	LLRS04	£2.06	£1.63	£1.38

Ladder Log Inspection Systems

The Ladder Log Business pack is perfect for getting started with ladder inspections if you haven't already got a system in place. It comes with tags and holders, or stickers if you prefer alongside an A4 register and all the paperwork required to make recording inspections as straightforward as possible. All business packs come with an A4 Inspection Folder & indelible marker pen.






**PRICES
HELD**

Description	Model	Price (each)
Inspection Folder, 10 Tags, 5 Holders & 1 Pen	LLBPS05	£58.93
Inspection Folder, 30 Tags, 15 Holders & 1 Pen	LLBPM06	£80.36
Inspection Folder, 50 Tags, 25 Holders & 1 Pen	LLBPL07	£94.64
Inspection Folder, 10 Green & 2 Red Stickers & 1 Pen	LLBPS08	£67.86
Inspection Folder, 30 Green & 6 Red Stickers & 1 Pen	LLBPM09	£85.71
Inspection Folder, 50 Green & 10 Red Stickers & 1 Pen	LLBPM10	£107.14

Personalised Ladder Log Tags

Why not add your company logo and brand colours to your inspection tags? Modify your tags to suit your business requirements; colour code based on department, add extra information or change the tag material, they don't even have to be used just with ladders in mind.



Description	Price
Bespoke Tag with your logo & colours	Starting at £315.00 for 100

Roof Ladders

- >> Heavy duty galvanised steel hooks with aluminium cross bars give best strength whilst remaining lightweight & easy to move around
- >> Large diameter wheels allow easy positioning on roof
- >> PVC covered bearers for improved grip & protection of roof tiles
- >> Suitable for all roof pitches between 25 & 55 degrees.
- >> Large heavy duty 33mm square rungs with 4-way crimp & swage for comfort and grip whilst working from the roof



Information
**LARGE WHEELS
ALLOW EASY
POSITIONING ON
THE ROOF**

No. of Rungs	Closed Length mm	Open Length mm	Weight kg	Model	Price
Single Section Push Up Roof Ladders					
11	-	3570	14	REL111	£327.80
13	-	4070	15.5	REL113	£359.40
14	-	4570	17	REL114	£370.95
16	-	5070	18	REL116	£402.55
18	-	5570	19.5	REL118	£419.10
Two Section Push Up Roof Ladders					
9 + 8	3070	4570	19.5	REL230	£416.85
11 + 10	3570	5570	22	REL235	£467.50
13 + 12	4070	6570	24.5	REL240	£513.00
14 + 13	4570	7570	27	REL245	£543.45

Trade Ladder Stay

- >> Fitted easily to most extension ladders
- >> Holds the ladder 300mm from the wall
- >> Working at height made easier
- >> Avoids damage to guttering, tiles & window frames



Clearance	Weight kg	Model	Price
300mm	2	TLS30	£114.35

Ladder Guard

- >> The ideal deterrent to the unauthorised use of site ladders
- >> Quickly locks in position on the ladder using padlock supplied
- >> Made from 2.5mm aluminium sheet



Size L x W mm	Weight kg	Model	Price
1140 x 250	5	LG250	£163.00