

G-TRUCK® Premium Pallet Trucks





Ergonomically designed handle with 3 position control lever

CAN BE USED WITH



GM /CHEP/UK
1000 x 1200mm
Closed Pallets



Euro
800 x 1200mm
Open Pallets



UK CA **TÜV** **CE** **GS**
PRODUCT SERVICE
geprüfte Sicherheit
Approved Safety

2500kg
evenly distributed

7 day delivery

2 YR
GUARANTEE

PRICES HELD

GPT1054P

GPT1554P

In accordance with HSE HS (9) it is recommended that all lifting equipment supplied must have a minimum of one service per annum

One service visit per annum & a PUWER inspection

Price: **£40.00** per truck & per annum (any parts are extra)

PLEASE NOTE: In order for us to offer a 2 year guarantee your Pallet Truck must be serviced within the above agreement

FULL NATIONWIDE COVERAGE OF UK MAINLAND



Fork Length mm	Width over Forks mm	Pallet Type	Weight kg	Model	Price (each) 1 Off	Price (each) 2+
1000	540	Euro & GKN/CHEP/UK	55.5	GPT1054P	£363.65	£358.80
1150	540	Euro & GKN/CHEP/UK	60.5	GPT1554P	£363.65	£358.80
1000	680	GKN/CHEP/UK	57.5	GPT1068P	£381.45	£376.60
1150	680	GKN/CHEP/UK	62.5	GPT1568P	£381.45	£376.60



Narrow Aisle Pallet Trucks

- » 2000kg capacity
- » Fork width: 160mm
- » Overall height: 1160mm
- » Raised height of forks: 200mm
- » Lowered height of forks: 85mm
- » Highly manoeuvrable through full 180°

i Information

**IDEAL FOR
NARROW AISLE
APPLICATIONS**

Fork Length mm	Width over Forks mm	Weight kg	Model	Price
800	450	58	GX205N	£532.50
900	450	58	GX206N	£532.50
1000	450	59	GX207N	£532.50

G-TRUCK® Pro Pallet Trucks

2YR
GUARANTEE

2500kg
evenly
distributed

7 day
delivery

TÜV
PRODUCT SERVICE

CE GS
Approved Safety

G-TRUCK

i Information

2500kg
LOAD CAPACITY

CAN BE USED WITH

GN /CHEP/UK
1000 x 1200mm
Closed Pallets

Euro
800 x 1200mm
Open Pallets

FROM ONLY

£332.95

GPT1054S

GPT1154S

- » Conform to EN 1757-2
- » Fork width: 160mm
- » Raised height of forks: 200mm & lowered height of forks: 85mm
- » Complete with entry & exit rollers
- » Ergonomically designed handle with a 3 position control lever
- » Manufactured to the recognised European GS standard
- » Mobile on 200mm nylon steering wheels & 85mm nylon single front rollers

In accordance with HSE HS (9) it is recommended that all lifting equipment supplied must have a minimum of one service per annum

One service visit per annum & a PUWER inspection
Price: **£40.00** per truck & per annum (any parts are extra)

PLEASE NOTE: In order for us to offer a 2 year guarantee your Pallet Truck must be serviced within the above agreement

FULL NATIONWIDE COVERAGE OF UK MAINLAND

Fork Length mm	Width over Forks mm	Pallet Type	Weight kg	Model	Price (each) 1+	Price (each) 3+
1000	540	Euro & GKN/CHEP/UK	55.5	GPT1054S	£337.80	£332.95
1150	540	Euro & GKN/CHEP/UK	60.5	GPT1154S	£337.80	£332.95
1000	680	GKN/CHEP/UK	57.5	GPT1068S	£357.20	£352.35
1150	680	GKN/CHEP/UK	62.5	GPT1168S	£357.20	£352.35

UK CA **PRICES HELD**

Low Profile Pallet Trucks

- » Conform to EN 1757-2
- » Fork width: 160mm
- » Raised height of forks: 165mm
- » Lowered height of forks: 55mm
- » Manufactured to the recognised European GS standard

UK
CA



Fork Length mm	Width over Forks mm	Pallet Type	Model	Price
1000	540	Euro & GKN/CHEP/UK	LPPT1054	£695.80
	680	GKN/CHEP/UK	LPPT1068	£731.10
1150	540	Euro & GKN/CHEP/UK	LPPT1554	£695.80
	680	GKN/CHEP/UK	LPPT1568	£731.10

Printers Pallet Trucks

- » Conform to EN 1757-2
- » Fork width: 160mm
- » Raised height of forks: 200mm
- » Lowered height of forks: 85mm
- » Mobile on 200mm nylon steering wheels & 85mm nylon front rollers (picture shows tandem front rollers which are available upon request)
- » 3 position trigger (lift, lower & neutral)



Fork Length mm	Width over Forks mm	Pallet Type	Model	Price
600	450	Printers	GN0645	£515.90
800	450	Printers	GN0845	£515.90
1000	450	Printers	GN1045	£515.90

Braked Pallet Trucks

- » Conform to EN 1757-2
- » Fork width: 160mm
- » Raised height of forks: 200mm
- » Lowered height of forks: 85mm
- » Complete with entry & exit rollers
- » Mobile on 200mm nylon steering wheels & 80mm nylon front rollers
- » Progressive braking system & parking brake facility. With the braking device, the walking speed can be controlled by hand. When you pull the brake lever in upward direction, the brake works. You can use the brake no matter if the truck is moving or not
- » Other sizes available - call for details

PRICES HELD UK CA



Fork Length mm	Width over Forks mm	Pallet Type	Model	Price
1000	550	Euro & GKN/CHEP/UK	GN550BPT	£707.15
	685	GKN/CHEP/UK	GN685BPT	£726.80

Quick Lift Pallet Trucks

- » Conform to EN 1757-2
- » Fork width: 160mm
- » Raised height of forks: 200mm
- » Lowered height of forks: 85mm
- » Mobile on 200mm polyurethane steering wheels & 85mm nylon front rollers
- » 3 position trigger (lift, lower & neutral) with a comfortable rubber gripped handle
- » Quick lift pump action speeds up pallet movement in busy work places like parcel/pallet distribution & couriers etc
- » Quick lift function up to 300kg weight


2000kg evenly distributed



Fork Length mm	Width over Forks mm	Pallet Type	Model	Price
1150	540	Euro & GKN/CHEP/UK	QLPT1554	£463.50
	685	GKN/CHEP/UK	QLPT1568	£479.40

Long Fork Pallet Trucks

- » Conform to EN 1757-2
- » Raised height of forks: 200mm
- » Lowered height of forks: 85mm
- » Mobile on 200mm nylon steering wheels & 85mm nylon front rollers
- » 3 position trigger (lift, lower & neutral) with a comfortable rubber gripped handle



Fork Length mm	Width over Forks mm	Pallet Type	Fork Spacing mm	Model	Price
1500	540	Euro & GKN/CHEP/UK	220	GN1554	£669.85
1500	685	GKN/CHEP/UK	365	GN1568	£695.25
1800	540	Euro & GKN/CHEP/UK	220	GN1854	£784.15
1800	685	GKN/CHEP/UK	365	GN1868	£811.15
2000	540	Euro & GKN/CHEP/UK	220	GN2054	£812.70
2000	685	GKN/CHEP/UK	365	GN2068	£842.90

Heavy Duty Pallet Trucks

- » Conform to EN 1757-2
- » Fork width: 160mm
- » Raised height of forks: 200mm
- » Lowered height of forks: 85mm
- » Mobile on 200mm nylon steering wheels & 85mm nylon front rollers
- » 3 position trigger (lift, lower & neutral) with a comfortable rubber gripped handle



Fork Length mm	Width over Forks mm	Pallet Type	Model	Price
1150	540	Euro & GKN/CHEP/UK	HDPT301554	£614.30
1150	680	GKN/CHEP/UK	HDPT301568	£647.65

Extra Heavy Duty Pallet Truck

- » Conform to EN 1757-2
- » Fork width: 210mm
- » Raised height of forks: 200mm
- » Lowered height of forks: 90mm
- » Mobile on 200mm steel steering wheels & 80mm steel front rollers
- » 3 position trigger (lift, lower & neutral)



Fork Length mm	Width over Forks mm	Pallet Type	Model	Price
1150	580	Euro & GKN/CHEP/UK	HDPT501558	£1550.80

Robust Ultra Accurate Pallet Truck Scale



i Information

**ULTRA ACCURATE
2000KG BY 0.2KG
INCREMENTS**

G2TPWN
Indicator

G2TPWN

- » Large 25mm LCD display for easy reading, keyboard with zero & tare functions
- » Operating time of approximately 80 hours in continuous use or 3 months in normal use thanks to its auto switch-off function
- » **Rubber steering wheels & polyurethane tandem front load wheels for more accurate weighing**

i Information

**OPTIONAL
TRACEABLE
ISO:9000
CALIBRATION
CERTIFICATE
AVAILABLE**

Fork Length mm	Width over Forks mm	Weight kg	Model	Price
1150	550	120	G2TPWN	£1345.00
Optional ISO:9000 Calibration Certificate Calibration Certificates must be ordered at the time of purchase of the scale			ISO-CERT	£35.00

Heavy Duty Pallet Truck Scale

- » The ultimate heavy duty pallet truck scale is extremely accurate - 2000kg x 0.2kg increments
- » Large 25mm LCD display, IP68 rated indicator housing in stainless steel
- » **Fitted with extractable rechargeable battery**
- » **Optional spare battery gives 24/7 use**
- » Supplied with battery charger which gives an operating time of approx. 60 hours in continuous use, thanks to its auto switch-off function
- » **Rubber steering wheels & polyurethane tandem loading front rollers for more accurate weighing**

i Information

**ULTRA ACCURATE
2000KG BY 0.2KG
INCREMENTS**

i Information

**OPTIONAL
TRACEABLE
ISO:9000
CALIBRATION
CERTIFICATE
AVAILABLE**



Fork Length mm	Width over Forks mm	Weight kg	Model	Price
1150	550	120	G2TPWLK	£1495.00
Optional spare battery pack for 24/7 use			GTPWBKB	£145.00
Optional ISO:9000 Calibration Certificate Calibration Certificates must be ordered at the time of purchase of the scale			ISO-CERT	£35.00



G2TPWLK



STAINLESS STEEL & ATEX MODELS ARE AVAILABLE - CALL FOR DETAILS

Weigh Scale Pallet Truck

- » Conform to EN 1757-2
- » CE marked & plated
- » Fork width: 182mm
- » Raised height of forks: 200mm
- » Lowered height of forks: 85mm
- » Mobile on 200 x 50mm polyurethane steering wheels & 74 x 70mm tandem rollers
- » Accuracy (+/- 0.5% and in 2kg increments)
- » Electronic lifting height indication in display
- » Highly reliable - all components are compact, designed for mobile use & low power usage
- » Water & dust proof to IP65. IP65 allows the pallet truck to be used outside or on lorries & can be cleaned with water (under normal pressure). The load cells in the forks have an even protection level
- » Power supply - built in rechargeable batteries give up to 70 hours use from one charge



WPT57H Weigh Scale Display

Fork Length mm	Width over Forks mm	Pallet Type	Model	Price
1150	545	Euro & GKN/CHEP/UK	WPT57H	£914.30



Information

**WEIGHING
ACCURACY TO
+/- 0.5% & in
2kg increments**

UK
CA

TÜV
PRODUCT SERVICE

CE

GS
geprüfte
Sicherheit
Approved Safety

PRICE
HELD

2YR
GUARANTEE

7 day
delivery

2000kg
evenly
distributed

WPT57H

Premium Weigh Scale Pallet Truck

- » Conform to EN 1757-2
- » CE marked & plated
- » Fork width: 160mm
- » Raised height of forks: 200mm
- » Lowered height of forks: 85mm
- » Mobile on 180 x 50mm polyurethane steering wheels & 74 x 70mm tandem rollers
- » High accuracy (+/- 0.1% and in 0.5kg increments)
- » Electronic lifting height indication in display
- » Highly reliable - all components are compact, designed for mobile use & low power usage
- » Water & dust proof to IP65. IP65 allows the pallet truck to be used outside or on lorries & can be cleaned with water (under normal pressure). The load cells in the forks have an even protection level
- » Power supply - fitted with rechargeable batteries. The battery will last 70-80 hours & to re-charge simply plug to the mains (cable included). Charging takes approx. 4hrs.

2YR
GUARANTEE

Information

**HIGH WEIGHING
ACCURACY TO
+/- 0.1% & in
0.5kg increments**

VULCAN®

UK
CA

TÜV
PRODUCT SERVICE

CE

GS
geprüfte
Sicherheit
Approved Safety



PWS1270

7 day
delivery



Weigh Scale Display

Load Capacity	Fork Length mm	Width over Forks mm	Pallet Type	Model	Price
2000kg	1150	540	Euro & GKN/CHEP/UK	PWS1157	£1411.15
2000kg	1220	690	GKN/CHEP/UK	PWS1270	£1485.75
2500kg	1150	540	Euro & GKN/CHEP/UK	PWS1125	£1488.90

PLEASE NOTE: In order for us to offer a 2 year guarantee your Pallet Truck must be serviced within the below agreement
One service visit per annum, a PUWER inspection & Calibration - Price: £96.00 per truck & per annum (any parts are extra)

Semi Powered Pallet Truck

- » Conform to EN 1757-1
- » Fork width: 160mm
- » Raised height of forks: 205mm
- » Lowered height of forks: 85mm
- » Modern, compact & light design makes this unit suitable for application in a variety of warehouses, supermarkets & even on large lorries
- » Brand new Lithium maintenance-free, pollution free battery that is slower discharging & requires significantly shorter time to recharge
- » 400W motor driven without the need for pushing or pulling.
- » Maximum driving speed of 4.8 km/h
- » CURTIS controller unit with a nonpolar speed controller
- » Incorporates stabilising wheels either side of the drive wheel arrangement
- » Mobile on 150mm polyurethane steering wheels & 80 x 60mm polyurethane tandem rollers
- » Power supply: 24V/30A. Complete with 13amp single phase 3 pin charging plug
- » 8 hours average runtime and 3 hours runtime for continuous use
- » Spare battery available - call for details



Information

**FAST CHARGE
ONLY 3.5 HOURS**

CAN BE USED WITH



GM /CHEP/UK
1000 x 1200mm
Closed Pallets



Euro
800 x 1200mm
Open Pallets



**BATTERY IS EXCLUDED
FROM THE GUARANTEE**



In accordance with HSE HS (9) it is recommended that all lifting equipment supplied must have a minimum of one service per annum

One service visit per annum & a PUWER inspection
Price: **£140.00** per truck & per annum (any parts are extra)

PLEASE NOTE: In order for us to offer a 2 year guarantee your Pallet Truck must be serviced within the above agreement

FULL NATIONWIDE COVERAGE OF UK MAINLAND



Battery Life Indicator

Easy to remove
Lithium battery



Fork Length mm	Width over Forks mm	Pallet Type	Model	Price
1150	540	Euro & GKN/CHEP/UK	SPPT40	£1307.95

Fully Powered Electric Pallet Truck with Lithium Battery

- » Conform to EN 1757-1
- » Fork width: 150mm
- » Raised height of forks: 115mm
- » Lowered height of forks: 80mm
- » Modern, compact & light design makes these units suitable for application in a variety of warehouses, supermarkets & even on large lorries
- » Incredibly smooth travel & lift combined with multi-functional controls greatly help reduce product damage & increase productivity
- » Open design of the truck makes battery removal & installation easier
- » Electric lifting function saves operator effort; manual lowering function can adjust lowering speed through handle angle
- » Auxiliary wheels on two sides increases truck stability
- » CURTIS controller unit with a nonpolar speed controller



LOWER PRICE

FPPT40

CAN BE USED WITH



GN /CHEP/UK
1000 x 1200mm
Closed Pallets



Euro
800 x 1200mm
Open Pallets



BATTERY IS EXCLUDED FROM THE GUARANTEE

i Information

**CURTIS
CONTROLLER
UNIT & A
NONPOLAR SPEED
CONTROLLER**

FPPT30 - Premium

Capacity kg	Fork Length mm	Width over Forks mm	Pallet Type	Model	Price
Fully Powered Pallet Trucks with Lithium Battery					
1500	1150	540	Euro & GKN/CHEP/UK	FPPT40	£1733.35
1800	1150	540	Euro & GKN/CHEP/UK	FPPT50	£1874.65
Premium Fully Powered Pallet Trucks with Lithium Battery					
1200	1150	540	Euro & GKN/CHEP/UK	FPPT30	£2047.65
1500	1150	540	Euro & GKN/CHEP/UK	FPPT60	£2341.30
2000	1150	540	Euro & GKN/CHEP/UK	FPPT70	£3076.20

In accordance with HSE HS (9) it is recommended that all lifting equipment supplied must have a minimum of one service per annum
One service visit per annum & a PUWER inspection
Price: **£185.00** per truck & per annum (any parts are extra)
PLEASE NOTE: In order for us to offer a 2 year guarantee your Pallet Truck must be serviced within the above agreement
FULL NATIONWIDE COVERAGE OF UK MAINLAND

Fully Powered Pallet Truck

Information

**CURTIS
CONTROLLER
UNIT & A
NONPOLAR SPEED
CONTROLLER**

TÜV
PRODUCT SERVICE

CE **GS**
Sicherheits
Approved Safety

**UK
CA**

- » Conform to EN 1757-1
- » Fork width: 167mm
- » Raised height of forks: 205mm
- » Lowered height of forks: 85mm
- » 400W motor driven without the need for pushing or pulling. Maximum driving speed of 4.5 km/h
- » CURTIS controller unit with a nonpolar speed controller
- » Incorporates stabilising wheels either side of the drive wheel arrangement
- » Mobile on 250mm polyurethane steering wheels & 80 x 70mm polyurethane tandem rollers
- » Power supply: 2 x 12/80Ah. Complete with 13amp single phase 3 pin charging plug
- » Other fork lengths & widths available - please call for details

1500kg
evenly
distributed

7 day
delivery

2YR
GUARANTEE




Battery Life Indicator & Key

FPPT10



Control Panel

CAN BE USED WITH



GKN/CHEP/UK
1000 x 1200mm
Closed Pallets

Euro
800 x 1200mm
Open Pallets

In accordance with HSE HS (9) it is recommended that all lifting equipment supplied must have a minimum of one service per annum

One service visit per annum & a PUWER inspection
Price: **£185.00** per truck & per annum (any parts are extra)

PLEASE NOTE: In order for us to offer a 2 year guarantee your Pallet Truck must be serviced within the above agreement

FULL NATIONWIDE COVERAGE OF UK MAINLAND

Fork Length mm	Width over Forks mm	Pallet Type	Model	Price
1150	540	Euro & GKN/CHEP/UK	FPPT10	£2330.20

LOWER PRICE

FPPT10

Premium Fully Powered Pallet Trucks

- » Conform to EN 1757-1
- » Raised height of forks: 200mm
- » Lowered height of forks: 85mm
- » Approved acceleration enhances efficient pallet entry & exit. Nonpolar control is programmable for specific tasks or operator skill levels
- » High quality hydraulic pump ensures little noise & maximum durability
- » Drive unit incorporates an electro magnetic brake that is spring applied & electrically released. The brake is activated by the control handle
- » Ergonomically designed control handle
- » Mobile on 252mm steering wheels & 84mm tandem rollers
- » 3000kg option available - please call for details

In accordance with HSE HS (9) it is recommended that all lifting equipment supplied must have a minimum of one service per annum

One service visit per annum & a PUWER inspection
Price: **£185.00** per truck & per annum (any parts are extra)

PLEASE NOTE: In order for us to offer a 2 year guarantee your Pallet Truck must be serviced within the above agreement

FULL NATIONWIDE COVERAGE OF UK MAINLAND

VULCAN®

CAN BE USED WITH



GM /CHEP/UK
1000 x 1200mm
Closed Pallets



Euro
800 x 1200mm
Open Pallets



FPPT20 &
FPPTLSA



Control
Panel



FPPT20 &
FPPTLSA



Load Cap. kg	Fork Length mm	Fork Width mm	Width over Forks mm	Pallet Type	Model	Price
2000	1150	160	540	Euro & GKN/CHEP/UK	FPPT20	£6727.00
Optional Driver Platform & Side Protection Bars					FPPTLSA	£841.30

Galvanised Pallet Trucks

- » Conform to EN 1757-2
- » Raised height of forks: 200mm
- » Lowered height of forks: 85mm
- » Complete with entry & exit rollers
- » Mobile on 200 x 50mm nylon steering wheels & 80 x 70mm nylon front rollers
- » Corrosion resistant - ideal for use in wet & damp conditions
- » Fork width: 160mm
- » Stainless steel version available - call for details



PRICES HELD

2000kg evenly distributed

2YR GUARANTEE



GAPT1154

Fork Length mm	Width over Forks mm	Pallet Type	Model	Price
1150	540	Euro & GKN/CHEP/UK	GAPT1154	£853.35
	680	GKN/CHEP/UK	GAPT1168	£887.45

Wet Spec Pallet Trucks

- » Conform to EN 1757-2
- » Raised height of forks: 200mm
- » Lowered height of forks: 85mm
- » Suitable for use in moderately wet conditions, in chilled temperatures & in the food industries
- » Mobile on 200mm nylon steering wheels & 85mm nylon front rollers
- » 3 position trigger (lift, lower & neutral)



2500kg evenly distributed



UK CA

NEW



WSPT1054

Fork Length mm	Width over Forks mm	Pallet Type	Model	Price
1000	540	Euro & GKN/CHEP/UK	WSPT1054	£595.25
1150	540	Euro & GKN/CHEP/UK	WSPT1154	£595.25
1000	685	GKN/CHEP/UK	WSPT1068	£619.05
1150	685	GKN/CHEP/UK	WSPT1168	£619.05

Rough Terrain Pallet Truck

- » Conform to EN 1757-2
- » CE marked & plated
- » Lowered height of forks: 50mm
- » Adjustable forks (up to 580mm wide) adapt to a maximum pallet width of 1200mm
- » Ideal for rough terrain outdoor applications such as building sites, agricultural environments etc
- » Mobile on pneumatic wheels mounted on hubs with sealed bearings
- » Hydraulic lifting system with integrated hand pump
- » 1200kg electric version available - please call for details

1500kg evenly distributed



GZR11N



PRICES HELD

Overall Size W x L x H mm	Fork Length mm	Weight kg	Model	Price
1640 x 1413 x 800	890	173	GZR11N	£1546.05

Reel Handling Pallet Trucks

- » Conform to EN 1757-2
- » CE marked & plated
- » Designed to carry horizontal loads such as rolls, reels, cable drums etc
- » Strong & robust chassis which is reinforced at the 'A' frame & the legs are strengthened along their length
- » Hydraulic pump with a slow lowering hand control valve. A 3 position control lever provides fingertip control of all hydraulic system functions with the handle in any position
- » Mobile on 200 x 50mm steering wheels & 82 x 70mm roller tandems
- » Other fork lengths available - call for details



2000kg evenly distributed



2YR GUARANTEE

UK CA



RHPT0500

PRICES HELD

To Suit Reel Size	Fork Length mm	Fork Width mm	Model	Price
400/600	1000	760	RHPT0500	£1068.30
600/800		850	RHPT0700	£1095.25
800/1200		1000	RHPT1000	£1139.70
1200/1600		1150	RHPT1500	£1233.35

High Lift Pallet Trucks

- » Conform to EN 1757-2
- » Fork width: 160mm
- » Raised height of forks: 800mm
- » Lowered height of forks: 85mm
- » Mobile on 180 x 50mm nylon steering wheels & 74 x 50mm front rollers
- » Stabilising bars automatically come into operation to prevent the unit moving
- » Automatically slow descending speed to prevent damage of your goods

VULCAN®

7 day delivery

2 YR GUARANTEE

up to 1500kg evenly distributed

TÜV PRODUCT SERVICE

CE GS geprüfte Sicherheit Approved Safety

UK CA



HLPT1755 Half Height



HLPT1755 Full Height

Load Capacity	Fork Length mm	Width over Forks mm	Pallet Type	Weight kg	Model	Price
1000kg	1170	540	Euro & GKN/CHEP/UK	95	HLPT1755	£857.15
1000kg	1170	685	GKN/CHEP/UK	115	HLPT1768	£857.15
1500kg	1170	540	Euro & GKN/CHEP/UK	110	HLPT1555	£973.60
1500kg	1170	685	GKN/CHEP/UK	130	HLPT1568	£973.60

PLEASE NOTE: In order for us to offer a 2 year guarantee your High Lift Pallet Truck must be serviced within the agreement below:
One service visit per annum & a LOLER inspection - Price: £115.00 per truck & per annum (any parts are extra)

Electric High Lift Pallet Trucks

- » Conform to EN 1757-2
- » Fork width: 160mm
- » Raised height of forks: 800mm
- » Lowered height of forks: 85mm
- » Mobile on 180 x 55mm steering wheels & 75 x 50mm front rollers
- » Adjustable stabilising bars come into operation to prevent the unit moving
- » Battery & charger included: Battery - 12v/60Ah
- » Lifting motor power: 0.8kw
- » Manual operation included

VULCAN®

TÜV PRODUCT SERVICE

CE GS geprüfte Sicherheit Approved Safety

UK CA

7 day delivery

1000kg evenly distributed

Information

MANUAL & ELECTRIC LIFT/LOWER FOR PRECISE POSITIONING



PHL54H Lowered



Stabilising bars prevent the unit moving whilst in use

PRICES HELD



PHL54H Full Height

Load Capacity	Fork Length mm	Width over Forks mm	Pallet Type	Weight kg	Model	Price
1000kg	1170	540	Euro & GKN/CHEP/UK	125	PHL54H	£1923.85
1000kg	1170	680	GKN/CHEP/UK	136	PHL68H	£2049.25
1500kg	1170	540	Euro & GKN/CHEP/UK	140	PHL60H	£2182.55
1500kg	1170	685	GKN/CHEP/UK	151	PHL70H	£2325.40

PLEASE NOTE: In order for us to offer a 2 year guarantee your Electric High Lift Pallet Truck must be serviced within the agreement below:
One service visit per annum & a LOLER inspection - Price: £115.00 per truck & per annum (any parts are extra)

Large Load Movers



- » Load is raised & can be easily moved around in any direction, even in the tightest of areas
- » Incorporates a 5M securing strap to secure your loads to the units



LLM18H

PRICES
HELD

Information

IDEAL FOR
BULK & HEAVY
WEIGHT ITEMS



LLM06M

Load Capacity kg	Lift	Max Lift Height mm	Toe Plate Size D x W mm	Wheels	Overall Size L x W x H mm	Weight kg	Model (pairs)	Price (pairs)
600	Manual	300	120 x 225	125mm Polyurethane	570 x 390 x 780	25	LLM06M	£744.05
1800	Hydraulic	250	60 x 600	150mm Polyurethane	680 x 420 x 1070	86	LLM18H	£1006.00

Static Lift Tables - Mains Operated

- » Comply to BS EN 1570 & BS EN 60204-1
- » Remote power system, easy for controlling, convenient for maintenance
- » Electronic control box with up, down & emergency buttons
- » PSL82U: specially designed in 'U' shape for handling pallets & boxes
Platform cut out - 1050L x 585Wmm
- » Lifting speed with load: 42mm/sec
- » Three phase (414V) power supply required & units need to be installed by an electrician



PSL80F



PSL82U

PRICES
HELD



PSL80F Lowered
Ramp Size:
1140L x 890W mm

Load Capacity kg	Lowered Platform Height mm	Raised Platform Height mm	Platform Size L x W mm	Lifting Time	Motor kw	Weight kg	Model	Price
1000	80	760	1450 x 1140	18 secs.	0.75	235	PSL80F	£2419.05
	82					250	PSL82U	£2419.05

Scissor Lift Tables



- >> Comply to EN1570:2011
- >> These units are elevated by winch (WLT30/50Y) or pump action foot pedal & lowered by either a hand operated release trigger (Single Scissor Pump Operated Lift Tables) or foot pedal (Double Scissor Pump Operated Lift Tables)
- >> Mobile on 2 fixed & 2 swivel braked castors with wheel guards

Load Capacity	Platform Size mm	Lowered Height mm	Max Lift Height mm	Wheels	Model	Price
Single Scissor Winch Operated Lift Table						
300 kg	950 x 600	440	1000	2 fixed & 2 swivel braked 125mm castors	WLT30Y	£556.35
500 kg	950 x 600	550	1000	2 fixed & 2 swivel braked 125mm castors	WLT50Y	£756.35
Single Scissor Pump Operated Lift Tables						
150 kg	700 x 450	255	720	100 x 25mm Polyurethane Castor	MLTS15Y	£500.85
300 kg	850 x 500	280	880	125 x 40mm Polyurethane Castor	MLTS30Y	£556.35
500 kg	850 x 500	280	880	125 x 40mm Polyurethane Castor	MLTS50Y	£660.55
Double Scissor Pump Operated Lift Tables						
350 kg	910 x 500	350	1300	125 x 40mm Polyurethane Castor	MLTD35Y	£752.95
500 kg	910 x 500	360	1500	125 x 40mm Polyurethane Castor	MLTD50Y	£813.45
800 kg	1200 x 610	450	1500	125 x 40mm Polyurethane Castor	MLTD80Y	£1095.80
1000 kg	1200 x 610	500	1700	125 x 40mm Polyurethane Castor	MLTD100Y	£1361.35

Mini Lifters

- >> Conforms to EN1757:1
- >> Strong chromium plated frame complete with adjustable forks & removable platform
- >> Mobile on 2 fixed 75mm front castors & 2 swivel braked 125mm steering castors with wheel guards
- >> Electric version available - call for details



Information

**COMPLETE WITH
REMOVABLE PLATFORM
(660 X 580MM)**

Platform Size mm	Lowered Height mm	Max Lift Height mm	Model	Price
660 x 580	90	1200	ML1200Y	£1019.05
660 x 580	90	1500	ML1500Y	£1027.00



Forklift Caddy & Mini Wrap Caddy

- » Handy tool to store & carry pallet wrapping
- » Easy 'click & release' to remove & replace roll on to Fork lift trucks or hand pallet trucks
- suitable for all makes
- » Pack of 10



PRICES
HELD



PTCAD10

FKCAD10


Model	Price (per pk of 10) 1+	Price (per pk of 10) 20+	Price (per pk of 10) 50+
Forklift Caddy - Clip & Wrap Holder with Divider & can be used to hold accessories such as scanners, phones, tape, shrink wrap etc			
FKCAD10	£200.00	£192.86	£171.43
Pallet Truck Caddy - Mini Cup & Clip			
PTCAD10	£157.14	£150.00	£122.86

Lifters/Transporters

- » Conform to EN 1757-2
- » Carry out a range of functions in production, warehousing environments
- » Simple controls all mounted within easy reach of the operator
- » Attachments are easily & quickly changed with simple tools
- » Built in battery allows the truck to be charged from any convenient 13 amp socket
- » Mobile on 100mm steering wheels (fitted with foot pedal brakes) & 80mm tandem rollers
- » Load centre: 300mm
- » Lift motor: 24v / 0.37Kw
- » N.B load capacities may alter depending on what accessories are used with the Lifter




up to
200kg
evenly
distributed




Roll & Coil
Handler




Roller Bed
Platform




Work Platform



Drum & Roll
Turner



Jib
Crane Arm



Bevelled
Platform

Description	Model	Price
Roll & Coil Handler	LTMLRCH	£249.25
Work Platform	LTMLWLP	£423.85
Jib Crane Arm	LTMLJCA	£438.10
Roller Bed Platform	LTMLRBP	£846.05
Drum & Roll Turner	LTMLDRT	£2292.10
Bevelled Platform	LTMLBP	£587.35

Load Cap. kg	Lift Height mm	Overall Size H x W x L mm	Lift Speed cm / sec	Battery v / Ah	Weight kg	Model	Price
100	1500	1920 x 560 x 1045	8.3 / 6	2 x 12 / 17	86	LTML086	£4091.90
100	2000	2420 x 560 x 1045	8.3 / 6	2 x 12 / 17	115	LTML115	£4645.95
100	2300	2920 x 560 x 1045	8.3 / 6	2 x 12 / 17	144	LTML144	£5085.95
200	1500	1920 x 560 x 1045	8.3 / 4.2	2 x 12 / 40	106	LTML106	£5040.00
200	2000	2420 x 560 x 1045	8.3 / 4.2	2 x 12 / 40	135	LTML135	£5231.15
200	2300	2920 x 560 x 1045	8.3 / 4.2	2 x 12 / 40	164	LTML164	£5777.80

Mini Lifters

- » Conform to EN 1757-2
- » Designed for ultimate flexibility & able to carry out a huge range of functions
- » Complete with a removable work platform (removable with the use of simple tools leaving two forks underneath)
- » Electric models: automatic electronic overload protection systems
- » Manual model: operated via hand winch, with auto brake system
- » Choice of easy to change options available: bevelled platform, drum & roll turner, roll & coil handler & roller bed - *please call for details*
- » Mobile on 125mm steering wheels with foot guards & 75mm rollers
- » 24v/20Ah battery with a built-in charger



Winch System for the MLM01Y

VULCAN®

UK
CA CE

TUV
PRODUCT SERVICE
Approved Safety

7 day
delivery



Remote Control for the MLE03Y



PRICES
HELD

MLE03Y

MLM01Y

i Information

**MANY OPTIONAL
ACCESSORIES
AVAILABLE.
PLEASE CALL
FOR DETAILS**

Model	Load Capacity kg	Load Centre mm	Lift Height mm	Platform Size W x L mm	Overall Size L x W x H mm	Model	Price
Manual	100	235	1500	470 x 600	840 x 600 x 1830	MLM01Y	£981.00
Manual	200	235	1500		870 x 600 x 1920	MLM02Y	£1047.65
Electric	150	235	1500		870 x 600 x 1790	MLE03Y	£1530.20
Electric	100	200	1700		870 x 740 x 1990	MLE04Y	£1504.80

Semi Electric Straddle Stackers with Adjustable Forks

- » Conform to EN 1757-2
- » Brake & pulling handle
- » Tandem lift chains with full guarding
- » Manual push/electric lift
- » Load centre: 600mm
- » Turning radius: 1350mm
- » Adjustable forks & straddle legs giving an overall width of: 1100 to 1380mm
- » Mobile on 180mm steering wheels with foot guards & 100mm load wheels
- » 12v 150Ah battery with built-in automatic charger



Information

ADJUSTABLE
STRADDLE LEGS
SUITABLE FOR
MOST PALLETS

LOWER
PRICES



PSS30E

Fork Length mm	Lowered Fork Height mm	Raised Fork Height mm	Fork Width mm	Overall Size H x L mm	Model	Price
Semi Electric Straddle Stackers with Adjustable Forks						
915	75	1600	220 to 850	2020 x 1550	PSS16E	£3944.45
		2000		2020 x 1550	PSS20E	£4269.85
1150	70	2500		1854 x 1800	PSS30E	£4411.15
		3000		2104 x 1800	PSS35E	£4865.10

Hydraulic Stackers

- >> Conform to CE Standard EN1757-1
- >> Controlled lifting by a hydraulic pump which can be either hand or foot operated
- >> Mobile on 2 swivel 180mm rear castors & 75mm front rollers

N.B. Appropriate facilities will be required to unload these units on delivery



In accordance with HSE HS (9) it is recommended that all lifting equipment supplied must have a minimum of one service per annum

HYDRAULIC STACKER

One service visit per annum & a LOLER inspection

Price: **£185.00** per truck, per annum

FULL NATIONWIDE COVERAGE OF UK MAINLAND

Load Cap. kg	Lifting Height mm	Overall Size H x W x L mm	Fork Length mm	Width over Forks mm	Load Centre mm	Model	Price
Manual Fixed Fork Hydraulic Stackers							
1000	1600	2010 x 740 x 1660	1150	550	600	STHI21Y	£1695.25
1000	2500	1830 x 740 x 1668	1150	550	600	STHI23Y	£1819.05
1000	3000	2060 x 740 x 1668	1150	550	600	STHI24Y	£1920.65
1500	1600	2010 x 740 x 1660	1150	550	600	STHI25Y	£1909.55
Manual Adjustable Fork Straddle Hydraulic Stackers							
1000	1600	2020 x 1100/1370 x 1420	915	210 to 800	500	STHI26Y	£2301.60
1000	2500	1770 x 1100/1370 x 1420	915	210 to 800	500	STHI27Y	£2436.55
1000	3000	2020 x 1100/1370 x 1420	915	210 to 800	500	STHI28Y	£2520.65

Semi Electric Stackers

- » Conform to EN 1757-1
- » CE marked & plated
- » Effortless manual push & pull movement
- » Easy control powered lifting
- » Steering & pulling handle
- » Mobile on 180mm steering wheels with foot guards & 74mm tandem rollers
- » 12v/150Ah battery with a built-in charger



Key, Battery Life Indicator & the Fork Operating Lever on the Semi Electric Stacker



In accordance with HSE HS (9) it is recommended that all lifting equipment supplied must have a minimum of one service per annum
One service visit per annum & a PUWER inspection
Price: **£250.00** per truck & per annum (any parts are extra)
PLEASE NOTE: In order for us to offer a 2 year guarantee your Pallet Truck must be serviced within the above agreement
FULL NATIONWIDE COVERAGE OF UK MAINLAND

Information

**ADJUSTABLE FORK
UNITS AVAILABLE -
CALL FOR DETAILS**



SESECT15

Load Capacity kg	Fork Length mm	Lift Height mm	Lowered Fork Height mm	Fork Width mm	Overall Size H x L mm	Model	Price
1000	1100	1600	85	570	1980 x 1720	SESECT10	£3190.50
		2500			3070 x 1720	SESECT15	£3571.45
		3000			3570 x 1720	SESECT20	£3947.65

Fully Powered Stackers

- » Conform to EN 1757-1
- » CE marked & plated
- » Turning radius: 1485mm
- » Battery voltage: 2 x 12/85 V/Ah powerful maintenance free batteries (large 2 x 12/106 V/Ah are available - call for details)
- » Built in charger as standard, together with battery discharge indicator with automatic lift cut off function, ensure high battery lifetime
- » Fully powered stacker, with duplex mast lifting, that provide smooth travel & lift with easy to operate controls
- » High quality hydraulic pump ensures very little noise, maximum efficiency, durability & shortens the lifting time



FPSCC1030

- » Four wheel supporting design at the driving end, with offset tiller for perfect view, allows stable & safe operation when the truck is used for high position stacking
- » Compact & ergonomic design improves operator performance
- » 1500kg & 2000kg models available - call for details

Load Capacity kg	Fork Length mm	Lift Height mm	Height of Mast Lowered mm	Height of Mast Raised mm	Fork Width mm	Model	Price
1000	1150	1600	2014	2014	570	FPSCC1016	£4422.25
1000	1150	2000	1494	2424	570	FPSCC1020	£4432.60
1000	1150	3000	1994	3424	570	FPSCC1030	£4807.45
1000	1150	3200	2144	3724	570	FPSCC1032	£5112.60

PLEASE NOTE: It is recommended that your equipment must have a minimum of one service per annum. Please see page 270 for more details



FPST1016



Fully Powered Straddle Stackers

- » Conform to EN 1757-1
- » CE marked & plated
- » Turning radius: 1485mm
- » Battery voltage: 2 x 12/85 V/Ah
- » Powerful maintenance free batteries (large 2 x 12/106 V/ah are available - call for details)
- » Built in charger as standard, together with battery discharge indicator with automatic lift cut off function, ensure high battery lifetime
- » Fully powered stacker, with duplex mast lifting, that provide smooth travel & lift with easy to operate controls
- » High quality hydraulic pump ensures very little noise, maximum efficiency, durability & shortens the lifting time
- » Four wheel supporting design at the driving end, with offset tiller for perfect view, allows stable & safe operation when the truck is used for high position stacking
- » Compact & ergonomic design improves operator performance
- » More load capacity options available - call for details



Load Capacity kg	Fork Length mm	Lift Height mm	Height of Mast Lowered mm	Height of Mast Raised mm	Fork Width mm	Model	Price
1000	1150	1600	2099	2099	570	FPST1016	£4924.45
1000	1150	2000	1580	2549	570	FPST1020	£5207.65
1000	1150	2500	1830	3049	570	FPST1025	£5348.15
1000	1150	3000	2080	3549	570	FPST1030	£5431.15
1000	1150	3200	2230	3849	570	FPST1032	£5835.60



CBS1501

Fully Powered Counterbalance Stackers

- » Conform to EN 1757-1
- » Duplex mast configuration allows good sight through the mast uprights
- » Short wheel base, compact & low noise
- » Adjustable fork spread to handle all pallet types
- » Uses latest AC control technology for superior control & battery life
- » External battery charger means that the truck can be charged from any convenient UK 3-pin socket
- » Heavy duty traction battery for 8 to 9 hours continuous work
- » Smooth step less drive controls
- » Power steering & full free lift
- » Can pick up closed board pallets, standard UK pallets & Euro pallets

Information

IDEAL FOR GETTING THE UNIT CLOSE TO RACKING OR WHERE SPACE IS AT A PREMIUM




Load Capacity kg	Fork Length mm	Lowered Fork Height mm	Raised Fork Height mm	Height of Mast Lowered mm	Height of Mast Raised mm	Adjustable Width over Forks mm	Model	Price
600	1070	80	2100	2100	2100	200 / 690	CBS0601	£9066.70
600	1070	80	2600	2020	3705	200 / 690	CBS0602	£9280.00
1200	1070	80	1600	1230	2400	200 / 690	CBS1201	£12,545.20
1200	1070	80	3000	2030	4000	200 / 690	CBS1202	£13,268.15
1500	1070	80	1600	1230	2500	200 / 690	CBS1501	£14,062.25
1500	1070	80	4000	1817	4350	200 / 690	CBS1502	£15,783.75

Pallet Level Loader

- » Comply to Machinery Directive 2006/42/EC
- » Heavy duty springs allows the platform to move heavy loads easily, keeping the load at a comfortable working height
- » Helps reduce injuries associated with loading pallets at the floor level & will also improve productivity
- » Maximum lift height: 1000mm
- » Galvanised version available
- call for details



PLL1211



PLL1312

Information

**LOAD A PALLET
WITHOUT
BENDING OR
STRETCHING**

**PRICES
HELD**

Description	Overall Size W x D mm	Model	Price
Pallet Level Loader	1220 x 1110	PLL1211	£2009.55
Pallet Level Loader with Bellows	1220 x 1110	PLL1312	£2563.50

PalletDisc

- » Comply to Machinery Directive 2006/42/EC
- » Free-rotating ramped edge for easy pallet truck loading
- » Lock prevents accidental rotation
- » Ideal for many environments

**PRICES
HELD**



PLD1100



Overall Size Dia. x H mm	Turntable Dia. mm	Model	Price
1100 x 22	1100	PLD1100	£1477.80

PalletRing

- » Comply to Machinery Directive 2006/42/EC
- » Strong, lightweight & simple to use
- » Free turning - does not tighten or bind under load
- » Ideal for many environments



**PRICES
HELD**



Overall Size Dia. x H mm	Inner Dia. mm	Model	Price
1016 x 60	960	PLR1016	£438.10

Fork Extensions



- >> Tip thickness 6mm for ease of splitting packs
- >> Fully pressed profile with rounded corners
- >> Zinc plated heel pins for safe attachment to truck

C of G mm	Fork Length mm	Model	Price per Pair
610	1829	IFE472HDBO-N/F	£298.67
762	1981	IFE478HDBO-N/F	£306.67
825	2134	IFE484HDBO-N/F	£322.67
914	2438	IFE496HDBO-N/F	£333.33
1219	3000	IFE4118HDBO-N/F	£416.00

Fork Mounted Hook

- >> Two fixed lifting points along the fork blade
- >> Supplied complete with single swivel hook & bow shackle
- >> Maximum fork section 150 x 50mm at 481mm centres
- >> Zinc plated heel pins for safe attachment to truck



C of G mm	Capacity kg	Model	Price
350	1000	IFH-1	£437.33
350	2000	IFH-2	£473.33
350	3000	IFH-3	£512.00
350	4000	IFH-4	£545.33
350	5000	IFH-5	£566.67

Low Profile Jib



- >> Multi hook positioning from 500-1750 load centres
- >> Supplied complete with swivel hook & bow shackles
- >> Four way pocket entry for ease of storage
- >> Max. fork section 150 x 50 mm at 281 mm centres
- >> Zinc plated heel pins for safe attachment to truck

C of G mm	Capacity at 500mm Centres	Model	Price
750	1000kg	ILP-1.0-OP	£665.33
750	1500kg	ILP-1.5-OP	£701.33
750	2000kg	ILP-2.0-OP	£737.33
750	3000kg	ILP-3.0-OP	£772.00
750	4000kg	ILP-4.0-OP	£826.67

Load Buffers

- >> Specifically designed to reduce damage to fragile finished loads from the fork back height when being loaded or unloaded via a forklift truck
- >> Magnetically attaches to the fork uprights
- >> Easily swapped between trucks on site
- >> 25mm thick encapsulated foam pad



Max Fork Section mm	Length mm	Model	Price
100 x 50	460	ILPB/100/50	£440.00
100 x 50	560	ILPB/100/50-2	£460.00
130 x 60	560	ILPB/130/60	£501.33
150 x 60	720	ILPB/150/60	£509.33

Fork Mounted Sweepers



- >> Quick & easy solution for re-heaping your loose granule products such as sand, top soil, grain or similar
- >> Interchangeable blue nylon brushes
- >> Facility to hang Fork Mounted Magnet from the frame
- >> Maximum fork section 150 x 60mm at 683mm centres
- >> Zinc plated twist screws for safe attachment to truck

C of G mm	Brush Width mm	Model	Price
5 Row Bristle Sweeper			
125	1200	IFMS-1200-ECO	£534.67
125	1500	IFMS-1500-ECO	£656.00
125	1800	IFMS-1800-ECO	£764.00
Heavy Duty 8 Row Bristle Sweeper			
185	1500	IFMS-1500	£857.33
185	1800	IFMS-1800	£1029.33
185	2450	IFMS-2450	£1194.67

Boot Wash Station

- >> The Boot Wash Station is an easy to install unit which helps to keep your site buildings clean & safe
- >> Easier than ever to clean site boots & footwear
- >> The in-line version (IL) covers usage of up to 3 workers at a time whereas the back to back version (BTB) covers two men at a time. The BTB is advantageous when space is at a minimum
- >> Plumbing Waste System to sump to remove internal waste water
- >> Lightweight robust plastic sub-frame
- >> Water flow through each brush with individual isolator
- >> Heavy duty galvanised foot grid



Overall Size H x W x L mm	Description	Model	Price
1100 x 710 x 1460	2 Man (BTB)	IBWS-BTB	£926.67
1100 x 710 x 1460	3 Man (IL)	IBWS-IL	£1105.33