




Heavy Duty Sack Trucks with Puncture Proof Wheels

- » Mobile on REACH compliant & puncture proof pneumatic wheels
- » High quality steel with a hardwearing aqua blue powder coated finish
- » Complete with strong, riveted knuckle guard hand grips
- » GI701R - high back unit with wheel guards & robust plastic covered skids
- » GI702R - extra wide unit with wheel guards
- » GI703R - standard unit
- » GI704R - complete with wheel guards. This unit also comes with a fixed (250kg capacity) & folding toe plate (150kg capacity). The folding toe plate stays in the folded position by the use of a magnet
- » GI705R - complete with wheel guards & 'P' handle. The 'P' handle allows the unit to be laid horizontally for ease of loading or unloading
- » GI706R - strong angle iron unit complete with wheel guards



GI705R



GI703R



GI701R




GI704R

LOWER PRICES


Information

UNITS COMPLETE WITH PUNCTURE PROOF WHEELS "WILL NOT LET YOU DOWN"



Folding Toe Plate stays in folded position by the use of a magnet

Capacity kg	Overall Size H x W x D mm	Fixed Toe Plate Size W x D mm	Folding Toe Plate Size W x D mm	Wheel Size mm	Weight kg	Model	Price
300	1320 x 510 x 630	285 x 280	-	250	13	GI701R	£179.75
250	1085 x 610 x 585	475 x 240	-	250	12.5	GI702R	£153.10
200	1110 x 515 x 490	360 x 250	-	200	8.5	GI703R	£103.95
up to 250	1240 x 535 x 710	390 x 165	320 x 430	250	11.5	GI704R	£118.55
250	1310 x 520 x 460	366 x 220	-	250	10	GI705R	£127.85
300	1185 x 580 x 600	385 x 300	-	250	14.5	GI706R	£148.70




## Heavy Duty Sack Trucks with Puncture Proof Wheels



### Information

**UNITS COMPLETE WITH PUNCTURE PROOF WHEELS**  
"WILL NOT LET YOU DOWN"



### REACH COMPLIANT WHEELS

REACH (Registration, Evaluation, Authorisation & Restriction of Chemicals) is a European regulation that addresses the production & use of chemical substances, & their potential impacts on both human health & the environment

GI702R



Sack Trucks

Fort® Heavy Duty Sack Trucks with Puncture Proof Wheels



- » Mobile on 250mm REACH compliant & puncture proof pneumatic wheels
- » High quality steel with a hardwearing powder coated finish
- » Complete with strong, screw fixed knuckle guard hand grips (FJ170P has a looped handle)
- » Close couple wheel mounting with integrated wheel guards - wheels don't protrude the sack frame



Description	Capacity kg	Overall Size H x W x D mm	Fixed Toe Plate Size W x D mm	Weight kg	Model	Price
Concave Cross Members with Loop Handle	230	1100 x 450 x 500	410 x 200	10	FJ170P	£307.85
Straight Cross Members	260	1110 x 500 x 500	410 x 200	11	FJ171P	£302.45
Concave Cross Members with Standard Toe Plate	260	1110 x 500 x 500	410 x 200	11	FJ172P	£307.90
Concave Cross Members & Axle Supports	280	1110 x 500 x 500	410 x 200	12	FJ173P	£318.20
Concave Cross Members with Large Toe Plate	260	1110 x 500 x 700	410 x 400	14	FJ174P	£327.85
Mesh Back with Standard Toe Plate	260	1110 x 500 x 500	410 x 200	11	FJ175P	£327.55
Mesh Back with Large Toe Plate	260	1110 x 500 x 700	410 x 400	14	FJ176P	£329.35
Fixed & Folding Toe Plate (folding toe plate - 320W x 450D mm)	250 / 230	1110 x 500 x 500	410 x 200	13	FJ177P	£343.15
High Back	280	1410 x 580 x 500	410 x 200	14	FJ178P	£359.30



## Fort® Heavy Duty Sack Trucks with Puncture Proof Wheels



**FROM ONLY**  
**£302.45**

**i Information**

**UNITS COMPLETE  
WITH PUNCTURE  
PROOF WHEELS  
"WILL NOT LET  
YOU DOWN"**

**REACH  
COMPLIANT  
WHEELS**

REACH (Registration, Evaluation, Authorisation & Restriction of Chemicals) is a European regulation that addresses the production & use of chemical substances, & their potential impacts on both human health & the environment



**230kg**  
evenly  
distributed

FJ170P



**260kg**  
evenly  
distributed

FJ174P

**i Information**

**WHEELS SIT WITHIN  
THE FRAME TO AID  
MANOEUVRABILITY  
THROUGH  
DOORWAYS &  
CORRIDORS**



FJ172P



## Sack Trucks

### Sack & Case Sack Trucks

- » Concave back units come complete with knuckle guard hand grips to protect your knuckles
- » Mobile on 200mm cushion roller bearing wheels



Capacity kg	Overall Size H x W mm	Toe Plate Size W x D mm	Weight kg	Model	Price
250	1100 x 420	410 x 200	11	TS139H	<b>£391.35</b>
250	1100 x 510	360 x 200	12	TS149H	<b>£402.80</b>
200	1168 x 495	400 x 483	12.5	TS143H	<b>£429.05</b>

### Chair Bulk Load Sack Truck


- » Toe plate size: 565W x 150D mm
- » Fully welded steel construction
- » Mobile on 200 x 50mm cushion roller bearing wheels
- » Ideal for moving stacked chairs



Overall Size H x W x D mm	Weight kg	Model	Price
1168 x 570 x 380	14.5	TS142H	<b>£412.65</b>

### Heavy Duty Sack Trucks

- » Complete with knuckle guard hand grips to protect your knuckles
- » Mobile on cushion roller bearing wheels



Height mm	Width mm	Toe Plate Size W x D mm	Weight kg	Wheels mm	Model	Price
1140	585	380 x 130	27	350 x 75	TS146L	<b>£708.85</b>
Extended Toe Plate - Factory Fitted (380W x 300D mm) for the TS146L						<b>£43.65</b>
1160	550	390 x 300	19.5	200 x 50	TS157H	<b>£487.00</b>

### Angle Iron Sack Truck

- » 200mm rubber wheels
- » Hardwearing powder coat finish
- » Knuckle guard hand grips & wheel guards
- » Toe plate size of 320W x 240D mm



Overall Size H x W x D mm	Weight kg	Model	Price
1220 x 450 x 350	19	TCS57Y	<b>£398.30</b>



## Fort® Super Heavy Duty Sack Trucks with Puncture Proof Wheels

- » Mobile on 250mm REACH compliant puncture proof wheels
- » Durable, large diameter tubular construction frame with a hardwearing powder coated finish
- » Complete with heavy duty looped handles & wheel guards



### Information

**UNITS COMPLETE WITH PUNCTURE PROOF WHEELS**  
**"WILL NOT LET YOU DOWN"**

**FROM ONLY**

**£348.50**

up to  
**290kg**  
 evenly distributed

### REACH COMPLIANT WHEELS

REACH (Registration, Evaluation, Authorisation & Restriction of Chemicals) is a European regulation that addresses the production & use of chemical substances, & their potential impacts on both human health & the environment

FJ189P



FJ186P

FJ180P



FJ187P  
 (Toe Plate Up)



FJ187P  
 (Toe Plate Down)

FJ188P

Description	Capacity kg	Overall Size H x W x D mm	Fixed Toe Plate Size W x D mm	Weight kg	Model	Price
Concave Cross Members with Loop Handle	240	1100 x 540 x 480	410 x 200	14	FJ180P	<b>£348.50</b>
Mesh Back with Large Toe Plate	270	1100 x 540 x 680	410 x 400	17	FJ186P	<b>£408.60</b>
Fixed & Folding Toe Plate (folding toe plate - 320W x 450D mm)	250	1100 x 540 x 480	410 x 200	16	FJ187P	<b>£414.15</b>
High Back	290	1410 x 540 x 570	410 x 200	17	FJ188P	<b>£400.10</b>
Extra Wide	270	1100 x 640 x 495	510 x 200	15	FJ189P	<b>£382.75</b>



## Sack Trucks

### Folding Toe Sack Trucks



- » Ideal for storing in a car boot or van
- » Mobile on 150mm rubber plain bearing wheels
- » GI151Y: straight back frame
- » GI162Y: Telescopic handle with 3 positional heights - 800, 930 & 1060mm

Description	Overall Size H x W mm	Toe Plate Size W x D mm	Weight kg	Model	Price
Straight Back Frame	1020 x 360	300 x 380	5	GI151Y	<b>£82.30</b>
Telescopic Back Frame	1060 x 360	300 x 380	5	GI162Y	<b>£83.10</b>



### Aluminium Sack Truck



- » Concave cross members & knuckle guard hand grips
- » 260mm pneumatic wheels for rough terrain
- » Fixed solid toe plate & wheel guards
- » Fitted with skids to enable this unit to be placed horizontally for ease of loading & unloading
- » Toe Plate Size: 250W x 270Dmm



Overall Size H x W x D mm	Weight kg	Model	Price
1310 x 470 x 610	11	GI998P	<b>£215.20</b>

### Heavy Duty Steel Sack Truck



- » Fully welded, strong & robust
- » 200mm rubber tyred wheels
- » Folding toe plate



FJ182H  
Folded

#### COLOUR OPTIONS

- Red
- Blue


specify when ordering

Overall Size H x W mm	Toe Plate Size W x D mm	Weight kg	Model	Price
960 x 500	310 x 330	10	FJ182H	<b>£217.90</b>

### 'P' Handle Sack Truck

- » Concave cross members
- » 'P' handle to allow the unit to be laid horizontally for ease of loading & unloading
- » Large 300mm pneumatic wheels to give this unit a smooth ride over rough & uneven terrain

**GI300P**  
**£139.85**



GI300P

Overall Size H x W x D mm	Toe Plate Size W x D mm	Weight kg	Model	Price
1260 x 570 x 460	350 x 230	15	GI300P	<b>£139.85</b>

## Steel Sack Trucks



- » REACH compliant wheels
- » Wheel guards
- » Knuckle guard hand grips
- » Hardwearing finish

Wheels	Overall Size H x W x D mm	Toe Plate Size W x D mm	Weight kg	Model	Price
200mm Cushion	1135 x 480 x 445	350 x 200	11.5	GI521H	<b>£91.10</b>
250mm Pneumatic	1120 x 545 x 435	350 x 185	11	GI523P	<b>£101.90</b>

## Budget Sack Trucks

- » Lightweight
- » 200mm rubber wheels
- » Hardwearing finish



Overall Size H x W x D mm	Toe Plate Size W x D mm	Weight kg	Model	Price
1120 x 470 x 410	350 x 228	11	GI256H	<b>£68.75</b>
1000 x 470 x 410	350 x 180	10	GI258H	<b>£69.40</b>

## 'P' Handle Sack Truck

- » 'P' handle allows the unit to be laid horizontally for ease of loading & unloading
- » 250mm pneumatic wheels give this unit a smooth ride over uneven terrain



Overall Size H x W x D mm	Toe Plate Size W x D mm	Weight kg	Model	Price
1310 x 550 x 460	350 x 210	9	GI708P	<b>£81.55</b>

## White Goods Sack Truck

- » Designed for moving electrical goods. Fitted with plastic tube protectors to protect your load from damage
- » Wide toe plate (510W x 190Dmm) & wheel guards
- » Fitted with 250mm pneumatic wheels



Overall Size H x W x D mm	Toe Plate Size W x D mm	Weight kg	Model	Price
1315 x 550 x 495	510 x 190	14	GI340Y	<b>£119.75</b>



Sack Trucks

Folding Toe Sack Trucks



Capacity kg	Height mm	Width mm	Toe Plate Size W x D mm	Weight kg	Model	Price
150	1150	560	330 x 330	12	TCS66Y	£340.25
250	1050	420	300 x 460	12	TCS58Y	£368.70
250	1200	480	460 x 360	12	TCS82Y	£371.50

- » TCS66Y: mobile on 260mm pneumatic wheels. Double toe gives extra versatility (fixed: 460W x 150Dmm & folding: 330W x 330Dmm)
- » TCS58Y: mobile on 200mm rubber wheels. Large toe plate is ideal for bulky items
- » TCS82Y: mobile on 200mm rubber wheels. Knuckle guard hand grips protect your knuckles


Step-A-Trucks

- » Versatile - neat & compact
- » Large toe plate & wide step treads
- » Load capacity: as sack truck - 60kg & as step unit - 150kg
- » Multi purpose, simple & easy to convert from step to sack truck
- » When in sack truck mode they are mobile on two 100mm wheels

PRICES HELD



FROM ONLY  
£106.15



Easy to move into position



No. of Treads	Overall Size - W x D x H mm			Platform Height mm	Sack Truck Toe Plate	Step Tread Size	Weight kg	Model	Price 1 Off	Price (each) 2+
	Folded	as Sack Truck	as Step Unit							
2	460 x 70 x 990	480 x 490 x 990	470 x 530 x 920	490	390 x 280 mm	375 x 210 mm	6.5	FMS82Y	£114.95	£106.15
3	470 x 90 x 1265	490 x 450 x 1265	470 x 735 x 1190	750			9	FMS83Y	£132.95	£121.15

## Super Compact Trucks

- » Unfold in seconds
- » Lightweight, simple to use & easy to carry
- » Three versions available:
  - » GI025Y - the 'mini' model
  - » GI033Y - the 'super' model
  - » GI043Y - the 'heavy duty' model
- » All units are of aluminium construction
- » These units can be stored or transported in confined spaces making them ideal for deliveries
- » GI043Y comes complete with knuckle guard hand grips

**FROM ONLY**
**£51.10**


### 'MINI' COMPACT TRUCK

GI025Y



Fitted with elasticated load retaining straps

### 'SUPER' COMPACT TRUCK

GI033Y



Fitted with elasticated load retaining straps

### 'HEAVY DUTY' COMPACT TRUCK

GI043Y



Large folding toe

### **i** Information

**IDEAL FOR USE  
IN SCHOOLS &  
OFFICES ETC**

Padded handles & knuckle guard hand grips on the GI043Y which fold flat for compact storage



GI033Y

GI043Y



GI043Y  
Folded



GI033Y  
Folded



GI025Y  
Folded

Description	Load Capacity kg	Overall Size H x W x D mm when folded	Overall Size H x W x D mm when open	Toe Plate W x D mm	Wheels mm	Weight kg	Model	Price 1 Off	Price (each) 2+	Price (each) Box of 4
Mini Compact	60	650 x 390 x 60	1000 x 400 x 420	390 x 240	2 x 120	3	GI025Y	<b>£60.40</b>	<b>£57.25</b>	<b>£51.10</b>
Super Compact	100	700 x 490 x 60	1000 x 490 x 450	490 x 270	2 x 180	4	GI033Y	<b>£93.10</b>	<b>£85.70</b>	-
Heavy Duty Compact	200	1010 x 595 x 97	1255 x 620 x 600	590 x 335	2 x 200	10	GI043Y	<b>£206.60</b>	-	-



Sack Trucks



Centaur® Aluminium Sack Trucks

- » Aluminium frame is lightweight & easily manoeuvrable
- » 250mm pneumatic, REACH compliant, wheels for use on uneven or rough terrain
- » GI814P/GI824P: Toe Plate Size: 457W x 232D mm
- » GI816P/GI826P: Toe Plate Size: 457W x 232D mm
- » GI817P/GI826P: Toe Plate Size: 457W x 232D mm.
- » Large Folding Toe Plate Size: 457W x 590D mm

Description	Overall Size H x W x D mm	Weight kg	Model	Price
Standard Toe Sack Truck				
Without Sliders	1320 x 510 x 470	10	GI814P	£188.85
With Sliders	1320 x 510 x 470	11	GI824P	£203.85
Solid Toe Sack Truck				
Without Sliders	1240 x 500 x 470	10	GI816P	£200.25
With Sliders	1240 x 500 x 470	11	GI826P	£215.25
Large Toe Sack Truck (Fixed & Folding Toe)				
Without Sliders	1320 x 480 x 830	11	GI817P	£201.35
With Sliders	1320 x 480 x 830	12	GI827P	£216.35

NEW

200kg evenly distributed

SOME ASSEMBLY REQUIRED

3 day delivery

NEXT DAY DELIVERY AVAILABLE Call for details

Aluminium Two Way Truck

- » Strong, robust & lightweight
- » 250mm pneumatic, REACH compliant wheels
- » Use as a sack truck or platform truck
- » Toe plate size: 457W x 232D mm
- » 200kg capacity in sack truck mode



GI815P as Sack Truck



GI815P as Platform Truck

Overall Size As Platform Truck L x W x H mm	Overall Size As Sack Truck L x W x H mm	Weight kg	Model	Price
1187 x 506 x 1033	466 x 506 x 1322	17	GI815P	£287.65

NEW

up to 250kg evenly distributed

SOME ASSEMBLY REQUIRED

3 day delivery



## Centaur® Aluminium Sack Trucks

- » Aluminium frame is lightweight & easily manoeuvrable
- » 250mm pneumatic, REACH compliant, wheels for use on uneven or rough terrain
- » Flat frame gives extra stability when moving large or bulky loads
- » The robust construction, with heavy duty toe plates, gives strength & durability
- » Toe Plate Size: 457W x 232Dmm



### Centaur® Aluminium Sack Trucks

Description	Overall Size H x W x D mm	Weight kg	Model	Price
High Back Sack Truck	1595 x 510 x 470	10.5	GI811P	<b>£179.65</b>
Pram Handle Sack Truck	1250 x 510 x 470	9	GI812P	<b>£178.15</b>
P Handle Sack Truck	1345 x 510 x 470	9.5	GI813P	<b>£174.75</b>

### Centaur® Aluminium Sack Trucks with Sliders

Description	Overall Size H x W x D mm	Weight kg	Model	Price
High Back Sack Truck	1595 x 510 x 470	11.5	GI821P	<b>£194.65</b>
Pram Handle Sack Truck	1250 x 510 x 470	10	GI822P	<b>£193.15</b>
P Handle Sack Truck	1345 x 510 x 470	10.5	GI823P	<b>£189.75</b>

## Aluminium Three Way Truck

- » Easily converts from a basic sack truck to a 4 wheel sack truck or platform truck
- » Incorporates 2 toe plates. A fixed toe plate (457W x 190Dmm) & a large folding toe plate (228W x 686Dmm)
- » Mobile on 250mm pneumatic wheels & 125mm polyurethane castors



### Information

**CONVERTS QUICKLY  
& EASILY INTO 3  
POSITIONS**

Overall Size As Platform Truck L x W x H mm	Overall Size As Sack Truck L x W x H mm	Weight kg	Model	Price
1500 x 530 x 980	470 x 530 x 1325	18	GI935P	<b>£428.85</b>



GI935P  
Sack Truck

GI935P  
4 Wheel Sack Truck



## Sack Trucks

### Compact Sack Truck

- » Aluminium frame with a folding steel toe plate
- » Easily folded to fit in your car/van boot
- » Easily carried & stored once folded
- » 2 x 150mm solid rubber wheels
- » Folding toe plate size: 360W x 250D mm



GI960Y

Overall Size - Open H x W x D mm	Overall Size - Folded H x W x D mm	Weight kg	Model	Price
1090 x 412 x 406	715 x 412 x 190	7	GI960Y	<b>£64.15</b>

### Heavy Duty 'BULKY' Sack Truck

- » 'Bulky' load sack truck is 1310H x 655W mm with a folding toe plate size: 600W x 405D mm
- » Large, robust puncture proof semi-pneumatic 250mm wheels for a smooth ride over uneven terrain
- » Ideal for rough & tough applications
- » Fixed (400kg capacity) & folding (350kg capacity) toe plates



GI400P

Overall Size H x W x D mm	Fixed Toe Plate Size W x D mm	Weight kg	Model	Price
1310 x 655 x 710	655 x 190	20	GI400P	<b>£198.05</b>

### Distribution Truck

- » Fully welded tubular steel frame with 50 x 50mm mesh infill
- » Internal load area: 855Hx400Wx275Dmm
- » Mobile on 2 x 200mm cushion roller bearing wheels



TS231Y

Overall Size H x W mm	Weight kg	Model	Price
1070 x 510	15	TS231Y	<b>£411.70</b>

### White Goods Sack Truck

- » Designed for moving electrical goods
- » Fitted with heavy duty rubber tubing to protect your load from damage
- » Toe plate: 410 x 200mm



TS340H

Overall Size H x W mm	Weight kg	Wheels mm	Model	Price
1100 x 420	11	200mm Cushion	TS340H	<b>£490.85</b>
	11	200mm Pneumatic	TS340P	<b>£634.40</b>



## Compact Aluminium Stairclimber

- » Toe plate size: 387 x 270mm
- » Complete with load strap & folding box clip
- » Mounted on 58mm wheels on a '3 star' system
- » Max load: 30kg on stairs & 60kg as truck



GI083Y  
Folded

GI083Y  
shown with the  
GC066Z  
Folding  
Box



Overall Size H x W x D mm	Folded Size H x W x D mm	Weight kg	Model	Price
1050 x 415 x 415	635 x 395 x 67	3.5	GI083Y	<b>£71.70</b>
46L Folding Box (525L x 375W x 280Hmm)			GC066Z	<b>£29.75*</b>

\*price applicable when ordering with the GI083Y. Order charges will apply if ordered on their own.

## 'THE PRO' Folding Sack Truck

- » Quickly & easily folds for compact storage & transportation. The toe plate, wheels & handles fold into the sack truck with a simple move of the handles
- » Mobile on 2 x 200mm puncture-proof rubber wheels
- » Folding toe plate size: 310W x 310D mm



Simply turn the handles which will lift the toe plate & fold the wheels



GI270H

Overall Size - Open H x W x D mm	Overall Size - Folded H x W x D mm	Weight kg	Model	Price
1150 x 480 x 520	1165 x 435 x 145	6	GI270H	<b>£171.95</b>



## Three Position Truck with Bag Holder

- » Converts from a sack truck to a platform truck in seconds
- » Mobile on 200mm solid rubber wheels & 100mm swivel castors
- » Complete with a movable bag holder which incorporates an elastic strap to hold the bag in place (bag not supplied)
- » Toe Plate Size: 130D x 350Wmm



GI354Y as  
Sack Truck

GI354Y as  
Platform Truck  
with bag  
holder up

Overall Size - L x W x H mm		Weight kg	Model	Price
Sack Truck Mode	Platform Truck Mode			
350 x 450 x 1180	630 x 450 x 795	8.5	GI354Y	<b>£81.60</b>



## Sack Trucks

### Two Way Truck

- » Converts from a sack truck to a platform truck in seconds
- » Mobile on 250mm pneumatic wheels & 100mm swivel castors



GI358Y as Sack Truck



#### **i Information**

**CONVERTS IN SECONDS**



GI358Y as Platform Truck


Overall Size - L x W x H mm		Toe Plate Size D x W mm	Weight kg	Model	Price
Sack Truck Mode	Platform Truck Mode				
450 x 550 x 1240	980 x 550 x 890	180 x 350	12	GI358Y	<b>£120.75</b>

### Two Way Cargo Truck

- » Converts from a sack truck to a platform truck in seconds
- » Mobile on 250mm pneumatic wheels & 100mm swivel castors
- » Load Capacity: 150kg in platform truck mode & 250kg in sack truck mode



GI352Y as Sack Truck



Close up of clasp holding the handle in position when the unit is in sack truck mode



#### **i Information**

**CONVERTS IN SECONDS**



GI352Y as Platform Truck

**LOWER PRICE**

Overall Size - L x W x H mm		Toe Plate Size D x W mm	Weight kg	Model	Price
Sack Truck Mode	Platform Truck Mode				
585 x 390 x 1175	1175 x 390 x 930	335 x 310	14	GI352Y	<b>£145.35</b>

### Heavy Duty Three Way Trucks

- » A heavy duty truck which easily & quickly converts from a basic sack truck to a 4 wheel sack truck or platform truck
- » Fitted with 2 x 200mm rubber tyred wheels & 2 x 125mm rubber tyred castors
- » Horizontal platform height: 240mm
- » Toe plate size: 470 x 190mm



TS133Y



TS132Y



Close up of the mechanism which keeps the rear wheels in position



TS134Y

Description	As Platform Truck H x L mm	As 4 Wheel Sack Truck H x L mm	As Basic Sack Truck H mm	Weight kg	Model	Price
Bright Zinc Plated	795 x 1270	890 x 1190	1270	24	TS132Y	<b>£742.40</b>
9mm Exterior Plywood Platform				26	TS133Y	<b>£692.20</b>
Blue Powder Coated				24	TS134Y	<b>£622.85</b>

## Medium Duty Three Way Truck

- >> A multi-purpose truck which easily & quickly converts from a basic sack truck to a 4 wheel sack truck or platform truck
- >> Fitted with 2 x 200mm rubber tyred wheels & 2 x 125mm rubber tyred castors
- >> Horizontal platform height: 260mm
- >> Toe plate size: 470 x 190mm

**250kg**  
evenly  
distributed

### **i Information**

**CONVERTS QUICK Y  
& EASILY INTO 3  
POSITIONS**



GI135Y as Sack Truck



GI135Y as  
Platform Truck

**LOWER  
PRICE**



GI135Y as 4  
Wheel Sack Truck

**3 day  
delivery**

**NEXT DAY  
DELIVERY AVAILABLE  
Call for details**

As Platform Truck L x W x H mm	As 4 Wheel Sack Truck L x W x H mm	As Basic Sack Truck W x H mm	Weight kg	Model	Price
1280 x 470 x 710	1205 x 470 x 840	470 x 1280	19	GI135Y	<b>£158.45</b>

## Heavy Duty Three Way Truck

- >> A multi-purpose truck which easily & quickly converts from a basic sack truck to a 4 wheel sack truck or platform truck
- >> Fitted with 2 x 200mm rubber tyred wheels & 2 x 125mm rubber tyred castors
- >> Horizontal platform height: 240mm
- >> Toe plate size: 510 x 200mm

**UK  
manufactured**

**3 YR  
GUARANTEE**



FJ135Y as Sack Truck



FJ135Y as  
Platform Truck

**300kg**  
evenly  
distributed



FJ135Y as 4  
Wheel Sack Truck

As Platform Truck L x W x H mm	As 4 Wheel Sack Truck L x W x H mm	As Basic Sack Truck W x H mm	Weight kg	Model	Price
1270 x 510 x 795	1190 x 510 x 890	510 x 1270	28	FJ135Y	<b>£416.90</b>



Sack Trucks



Wide Stairclimber

- » Fixed & folding toe plates
- » Complete with adjustable strap
- » Folding toe plate size: 395 x 460mm
- » Mounted on 160mm pneumatic wheels on a '3 star' system
- » Max load: 50kg on stairs & 150kg as truck



FROM ONLY  
**£169.70**

**i Information**  
**COMPLETE WITH  
FIXED & FOLDING  
TOE PLATES**

**LOWER  
PRICE**

Overall Size H x W x D mm	Fixed Toe Plate Size W x D mm	Weight kg	Model	Price
1160 x 605 x 795	410 x 200	22	GI360Y	<b>£169.70</b>

Stairclimber with Skids



- » Mounted on 150mm wheels on a '3 star' system
- » Max load: 60kg on stairs 150kg as a sack truck
- » Fitted with knuckle guard hand grips, wheel guards & plastic guarded skids



**LOWER  
PRICE**

Aluminium Stairclimber with Skids



- » Mounted on 150mm wheels on a '3 star' system
- » Max load: 60kg on stairs 150kg as a sack truck
- » Fitted with knuckle guard hand grips, wheel guards & plastic guarded skids



**LOWER  
PRICE**

Overall Size H x W x D mm	Toe Plate Size W x D mm	Weight kg	Model	Price
1180 x 480 x 600	300 x 245	11	GI370Y	<b>£136.05</b>

Overall Size H x W x D mm	Toe Plate Size W x D mm	Weight kg	Model	Price
1180 x 500 x 550	300 x 210	8.5	GI380Y	<b>£189.30</b>

For safe use of stairclimbers please ensure the load does not overhang the leading edge of the toe plate

## 'ProPlaz®' Folding Box Trucks

- » Durable plastic construction
- » Opens & folds in seconds
- » Folds flat for easy carrying & storage

**ProPlaz®**  
**box truck**

**i Information**  
**HOLDS A4 FILES**

**FROM ONLY**  
**£25.90**

**3 day**  
delivery

**NEXT DAY**  
DELIVERY AVAILABLE  
Call for details

**PRICES**  
**HELD**



PI041Y



GI040Y



GI041Y



Folding Box Trucks  
fold to a depth  
of just 85mm

**i Information**  
**HOLD FOOLSCAP**  
**LEVER ARCH &**  
**BOX FILES**

**ProPlaz®**  
**box truck**

**ProPlaz®**  
**box truck**



GI042Y with  
removable lid



**i Information**  
**STRONG CANVAS BAG**  
**CARRY & STORE YOUR TOOLS**

BI045Y

Description	Load Capacity	Overall Size - Open H x W x D mm	Overall Size - Folded H x W x D mm	Internal Size H x W x D mm	Weight kg	Model	Price (each) 1+	Price (each) 3+
Blue/Yellow	25 kg	850 x 375 x 325	410 x 375 x 85	290 x 345 x 270	3	GI040Y	<b>£35.15</b>	<b>£32.05</b>
Blue/Yellow	35 kg	990 x 460 x 390	470 x 460 x 85	350 x 395 x 330	4	GI041Y	<b>£43.10</b>	<b>£39.60</b>
Black	35 kg	990 x 460 x 390	470 x 460 x 85	350 x 395 x 330	4	BI041Y	<b>£39.95</b>	<b>£36.80</b>
Black with Compartment Bag	35 kg	990 x 460 x 390	470 x 460 x 85	350 x 395 x 330	5	BI045Y	<b>£49.20</b>	<b>£46.30</b>
Pink	35 kg	990 x 460 x 390	470 x 460 x 85	350 x 395 x 330	4	PI041Y	<b>£28.80</b>	<b>£25.90</b>
Grey/Red with removable lid	35 kg	990 x 460 x 390	470 x 460 x 85	350 x 395 x 330	5	GI042Y	<b>£47.60</b>	<b>£44.35</b>