Hazardous Substance Storage Cupboards



- » Manufactured from 0.7mm steel body & 0.9mm steel doors
- » These units enable separate storage of hazardous substances
- » "No Snag" handles with 2 point locking mechanism
- » Adjustable spill retaining shelves for superior spill management
- Integral liquid tight sump encourages the correct handling of spills (except wall mounted cupboards)
- Wall cupboards are pre-drilled for mounting (fixings not included)
- Floor chests have an integrated welded sump, angled lid to discourage article placement & a hasp & staple lock - padlock not supplied
- Stands raise cupboards by 543mm with an adjustable foot for uneven surfaces
- » Reaction to Fire Classification EN 13501-1





Overall Size H x W x D mm	No of Shelves	No of Doors	Model	Price				
Floor Cupboards								
700 x 350 x 300	1	Single	EFC01Z	£207.95				
700 x 900 x 460	1	Double	EFC03Z	£286.80				
900 x 460 x 460	1	Single	EFC02Z	£244.75				
900 x 900 x 460	1	Double	EFC05Z	£313.95				
1200 x 900 x 460	2	Double	EFC06Z	£396.15				
1800 x 900 x 460	3	Double	EFC08Z	£466.05				
1800 x 1200 x 460	3	Double	EFC16Z	£549.20				
	Mobile C	upboards						
840 x 900 x 460	1	Double	EMC01Z	£457.05				
1040 x 900 x 460	1	Double	EMC02Z	£498.05				
	Wall Cu	pboards						
570 x 850 x 255	1	Double	EWC01Z	£271.95				
	Floor Chests							
510 x 610 x 340	-	-	EFC18Z	£338.70				
610 x 1170 x 460	-	-	EFC19Z	£529.55				

Model	Price						
Extra Shelves							
EES01Z	£29.65						
EES02Z	£37.10						
EES08Z	£48.20						
EES16Z	£55.60						
13mm high)							
ESS01Z	£106.35						
ESS02Z	£111.20						
ESS08Z	£124.20						
	EES01Z EES02Z EES08Z EES16Z #3mm high) ESS01Z ESS02Z						

Heavy Duty Hazardous Substance Storage Cupboards

- » Manufactured from 0.9mm sheet steel with formed & welded seams
- » Supplied with removable galvanised sump tray & shelves
- » Doors are fitted with vertical reinforcement panels to prevent distortion
- » Produced with return flange around doors & joints to prevent the passage of flame
- » Fitted with security locks & two keys
- Shelves can be used as flush shelves or as a tray & are adjustable to 75mm centres
- » Locks & handles are all metal to eliminate melting under fire attack
- » Powder coated yellow



HSC05Z





THESE CABINETS CAN HELP YOU COMPLY WITH COSHH REGULATIONS, DEPENDING ON YOUR RISK ASSESSMENT

Overall Size H x W x D mm	No of Shelves	Doors	Weight kg	Model	Price
915 x 458 x 483	1	Single	27	HSC02Z	£504.50
610 x 610 x 306	1	Double	18	HSC03Z	£522.50
915 x 915 x 483	2	Double	50	HSC05Z	£696.15
1830 x 915 x 483	3	Double	83	HSC08Z	£1162.55

HSC02Z

Heavy Duty Hazardous Cabinets GENERAL SPECIFICATION FOR THE CABINETS SHOWN ON THESE TWO PAGES » Designed and manufactured to meet Fire Classification A2-s2 d0 to EN13501-1:2018 » Manufactured from 1.2mm sheet steel for extra strength & improved protection from fire penetration » A robustly constructed range of cabinets providing safe storage for flammable liquids man Base of each unit is fitted with a large capacity removable sump to contain any spillage All formed welded seams » Doors are fitted with vertical reinforcement panels to prevent distortion » Produced with return FROM ONLY flange around doors & joints to prevent the £590.95 passage of flame Fitted with all metal security locks & two keys » Adjustable galvanised shelves to 75mm centres. Shelves are also reversible which allows them to be used as a trav » Floor stands are available for the five smallest sizes, raising the units by 450 mm **HEAVY DUTY CABINETS** Made from 1.2mm sheet steel FSC Range (i) Information THESE CABINETS **CAN HELP YOU COMPLY WITH COSHH** REGULATIONS, **DEPENDING ON YOUR RISK ASSESSMENT Highly Flammable Storage** Cabinets - FSC Range » Powder coated Yellow » Supplied with appropriate labels to BS5378 standard » For pricing details please see opposite page **General Storage Cabinets** - GSC Range GSC Range » Powder coated grey » Supplied complete with general purpose labelling » For pricing details please see opposite page



Pesticide/Agrochemical Storage Cabinets - PSC Range

- » Powder coated red
- » For your safety the doors of the cabinets are fitted with louvre vents
- ightharpoonup Supplied with the currently approved labels to BS5378 & EEC directive 92/58
- » All other details are as per general specification shown on the previous page

Acid Storage Cabinets - ASC Range

- >> Powder coated white which is impervious to most acids
- » Complete with acid warning label conforming to BS5499/1 & EEC directive 92/58
- » All other details are as per general specification shown on the previous page

Before storage of herbicides & petroleum based products takes place the advice of the following should be sought for specific guidance.

- Health & Safety Inspector
- Trading Standards Officers
- » Environmental Health Officers
 - » Fire Officers

Overall Size	No of	Shelf Depth	Sump	Sump	Sump	Sump	Sump	Sump	Sump	Sump	Sump	Doors	Weight	Highly Fl	ammable	Ger	ieral	Pesticide/A	grochemical	A	cid
H x W x D mm	Shelves	(as a tray)	Capacity	DOOLS	kg	Model	Price	Model	Price	Model	Price	Model	Price								
*765 x 458 x 483	1	38mm	14 litres	1	25	FSC01Z	£598.85	GSC01Z	£590.95	PSC01Z	£638.25	ASC01Z	£638.25								
*915 x 458 x 483	1	38mm	14 litres	1	35	FSC02Z	£670.40	GSC02Z	£662.30	PSC02Z	£709.65	ASC02Z	£709.65								
*610 x 610 x 306	1	24mm	12 litres	2	23	FSC03Z	£641.25	GSC03Z	£633.25	PSC03Z	£680.35	ASC03Z	£680.35								
*710 x 915 x 483	1	34mm	33 litres	2	45	FSC04Z	£832.95	GSC04Z	£825.05	PSC04Z	£871.95	ASC04Z	£871.95								
*915 x 915 x 483	2	34mm	33 litres	2	55	FSC05Z	£962.50	GSC05Z	£954.65	PSC05Z	£1001.70	ASC05Z	£1001.70								
1220 x 915 x 483	2	34mm	33 litres	2	65	FSC06Z	£1069.95	GSC06Z	£1062.35	PSC06Z	£1109.20	ASC06Z	£1109.20								
1500 x 915 x 483	3	34mm	33 litres	2	80	FSC07Z	£1311.55	GSC07Z	£1303.70	PSC07Z	£1350.70	ASC07Z	£1350.70								
1830 x 915 x 483	3	34mm	33 litres	2	100	FSC08Z	£1464.10	GSC08Z	£1456.15	PSC08Z	£1503.05	ASC08Z	£1503.05								
*Floor	*Floor stand (available for the 5 smallest sizes)				FSC09Z	£269.90	GSC09Z	£269.90	PSC09Z	£302.00	ASC09Z	£302.00									



It is vital that employers and employees comply with the control of hazardous substances in all working environments. This range of cupboards & cabinets enables the separate storage & transportation of hazardous substances as demanded by the CoSHH regulations.

- » Manufactured from 0.7mm steel body & 0.9mm steel doors
- » Reaction to Fire Classification EN 13501-1
- » "No snag" handles with 2-point locking
- » Adjustable spill-retaining galvanized shelves for superior spill management*
- Integral liquid-tight sump encourages the correct handling of spills through the use of absorbents*
- Wall cupboards are pre-drilled for mounting (fixings not included).
- Floor chests have a welded integrated sump, angled lid to discourage article placement & a hasp & staple lock – padlock not supplied
- Stands raise cupboards by 543mm with an adjustable foot for uneven surfaces
 *Except wall mounted cupboards

Overall Size H x W x D mm	No of Shelves	No of Doors	Model	Price				
Floor Cupboards								
700 x 350 x 300	1	Single	CFC01Z	£207.95				
700 x 900 x 460	1	Double	CFC03Z	£286.85				
900 x 460 x 460	1	Single	CFC02Z	£244.75				
900 x 900 x 460	1	Double	CFC05Z	£313.95				
1200 x 900 x 460	2	Double	CFC06Z	£396.10				
1800 x 900 x 460	3	Double	CFC08Z	£466.05				
1800 x 1200 x 460	3	Double	CFC16Z	£549.20				
	Mobile C	upboards						
840 x 900 x 460	1	Double	CMC01Z	£457.05				
1040 x 900 x 460	1	Double	CMC02Z	£498.00				
	Wall Cu	ipboards						
570 x 850 x 255	1	Double	CWC01Z	£271.95				
Floor Chests								
510 x 610 x 340	-	-	CFC18Z	£338.70				
610 x 1170 x 460	-	-	CFC19Z	£529.55				

To Fit W x D mm	Model	Price				
Stands (543mm high)						
350 x 300	CSS01Z	£106.35				
460 x 460	CSS02Z	£111.20				
900 x 460	CSS08Z	£124.20				

Hazardous Substance & CoSHH Security Cupboards



It is vital that employers & employees comply with the control of hazardous substances in all working environments. This range of cupboards and cabinets enables the separate storage of hazardous substances as demanded by the CoSHH regulations. They are constructed from welded 1.5mm steel for strength combined with a superior anti-pick locking mechanism, to ensure security.

- » Welded all steel structure for extra strength
- Seven lever safe lock for high security
- » New regulation labels enclosed to be fitted by customer to suit regulations
- Full length heavy duty hinges with concealed fixings to prevent forced entry
- » Adjustable spill-retaining galvanised shelves for superior spill management
- » Powder coated with Germ Guard Active Technology anti-bacterial paint
- » Integral liquid-tight sump encourages the correct handling of spills through the use of absorbents
- » Reaction to Fire Classification EN 13501-1

Hazardous Substance Security Cupboards (Yellow)

Overall Size H x W x D mm	No of Shelves	Model	Price
900 x 460 x 450	1	HSSC090445	£743.20
1200 x 900 x 450	2	HSSC120945	£1035.45
1200 x 1200 x 450	2	HSSC121245	£1580.55
1800 x 900 x 450	3	HSSC180945	£1591.75
1800 x 1200 x 450	3	HSSC181245	£1945.80

Extra Shelves						
To Fit W x D mm	Model	Price				
460 x 450	HSSC0445ES	£43.45				
900 x 450	HSSC0945ES	£67.00				
1200 x 450	HSSC1245ES	£94.15				



CoSHH Security Cupboards (Grey)

Overall Size H x W x D mm	No of Shelves	Model	Price
900 x 460 x 450	1	CSSC090445	£743.20
1200 x 900 x 450	2	CSSC120945	£1035.45
1200 x 1200 x 450	2	CSSC121245	£1580.55
1800 x 900 x 450	3	CSSC180945	£1591.75
1800 x 1200 x 450	3	CSSC181245	£1945.80

Extra Shelves						
To Fit W x D mm	Model	Price				
460 x 450	CSSC0445ES	£43.45				
900 x 450	CSSC0945ES	£67.00				
1200 x 450	CSSC1245ES	£94.15				

Safety Cabinets for Flammable Substances



- Exceed the requirements of HSG51, 2015 (HSE Storage of Flammable Liquids in Containers, 3rd Edition)
- Meets the requirements of HSG140, 2015 (HSE Safe Use & Handling of Flammable Liquids, 2nd Edition)
- » 10 minute fire tested at up to 1,300°C (independent testing)
- Internal temperature during fire test kept below the auto ignition temperature of vast majority of flammable liquids
- Can help justify storage of more volume of flammable liquids than HSG51 would normally allow
- Fully load tested
- » Self-closing models have fusible links that close the doors at 74°C
- » Dual wall construction with insulating air space
- » Fully welded construction with 1mm steel used throughout
- 3 point heavy duty stainless bullet self-latching doors – positive door closure without manual rotation to ensure latching
- Leak proof integrated sump & 2 air vents with flame arresters built-in

- Concealed self-close mechanism release doors on self-closing models from any open position & the door will shut & latch
- Adjustable shelf positions on 76mm centres, each with 156kg UDL rating
- » Continuous piano hinges on doors
- » Shelves direct leaks to back & bottom of cabinet
- » Adjustable levelling feet
- » Built in grounding connector

Description	Overall Size	No of	No of No of		Manual Close Doors		Self Close Doors	
Description	H x W x D mm	Doors	Shelves	Capacity	Model	Price	Model	Price
Mini Cabinet	580 x 560 x 230			2 L	SCF001M	P.O.A.	-	-
Countertop Cabinet	580 x 560 x 460		1	6.5 L	SCF002M	P.O.A.	SCF011S	P.O.A.
Compact	889 x 591 x 457	1	1	10 L	SCF003M	P.O.A.	SCF012S	P.O.A.
Cabinet	1118 x 591 x 457	1		10 L	SCF004M	P.O.A.	SCF013S	P.O.A.
Slimline Cabinet	1651 x 591 x 457		3	10 L	SCF005M	P.O.A.	SCF014S	P.O.A.
Undercounter Cabinet	889 x 889 x 459		_	20 L	SCF006M	P.O.A.	SCF015S	P.O.A.
	1118 x 1092 x 457		1	20 L	SCF007M	P.O.A.	SCF016S	P.O.A.
Standard	1651 x 1092 x 457	2		20 L	SCF008M	P.O.A.	SCF017S	P.O.A.
Cabinet	1651 x 864 x 864		2	31.5 L	SCF009M	P.O.A.	SCF018S	P.O.A.
	1651 x 1092 x 864			41 L	SCF010M	P.O.A.	SCF019S	P.O.A.

Storage Vaults

- Designed to comply with the Flammable Liquid Storage Regulations (1972) as appropriate & the Factory Inspection Guide HSG51
- Adjustable vent meets the requirements of both flammable storage (vents closed) & agrochemicals (vents open)
- » All welded units conforming to the A.P.E.A. construction requirements
- » Provide a half hour protection from collapse & the passage of flame
- Multi-lockable for high security & fitted with a lift up action lid assisted by gas struts
- For extra protection & fork lifting the units have skids on the base
- Middle shelves pivot on models SSV01Z & SSV02Z to enable larger items to be stored on the base level
- Model SSV03Z has a central partition & four shelves - the two middle shelves fold away & the two top shelves are made in 3 sections the back section is fixed in position & the front two sections removable
- » All models have a liquid-tight base to contain spillage

N.B. A Fork Lift will be needed to unload these vaults



SAFETY NOTE

Before storage of herbicides & petroleum based products takes place the advice of the following should be sought for specific guidance.

- » Health & Safety Inspector
- » Trading Standards Officers
- » Environmental Health Officers
 - » Fire Officers





Overall Size H x W x D mm	Liquid Tight Sealed Base Unit Capacity	Shelves mm	Weight kg	Model	Price
1270 x 700 x 850	120 Litre	2 x Shelves: Top: 690 x 400 fixed Middle: 690 x 400 pivots	180	SSV01Z	£2376.75
1270 x 1370 x 850	250 Litre	2 x Shelves: Top: 1360 x 400 fixed Middle: 1360 x 400 pivots	260	SSV02Z	£3345.00
1270 x 2500 x 1080	550 Litre	4 x Shelves: 1220 x 500	460	SSV03Z	£5983.65



Petroleum Storage Chests

- Suitable for 'CLASS A' Storage (1986) & labelled in accordance with the Petroleum Consolidation Act 1928, conforming to BS5378 & E.C. Directive 92/58 EEC
- Fully welded units designed & constructed to comply with A.P.E.A requirements
- » Fitted with a hasp & staple to enable padlocking
- Produced with a sloping roof to aid protection against the weather
- Each unit is fitted with a removable sump





	Overall Size H front/rear x W x D mm	Weight kg	Capacity (Cubic Metres)	Model	Price
ſ	655/810 x 610 x 630	46	0.25	SSB09Z	£1030.05
ĺ	655/810 x 965 x 630	64	0.34	SSB10Z	£1278.90
ĺ	655/810 x 1270 x 630	85	0.40	SSB11Z	£1512.95

Storage Cabinet

- » Lockable handle on double doors
- » Clear space between shelves: 550 top & 540 bottom shelf
- Two removable storage shelves of 25x25mm mesh (1115W x 520Dmm)
- Designed to comply with the Flammable Liquid Storage Regs. (1972) as appropriate & the Factory Inspection Guide HSG51
- The adjustable vent meets the requirements of both flammable storage (vent closed) & agrochemicals (vent open)
- » All welded unit conforming to the A.P.E.A. construction requirements
- The unit provides a half hour protection from collapse & the passage of flame

N.B - A Fork Lift will be needed to unload this unit









Heavy Duty Storage Vault Cabinets

- Fully welded construction for heavy duty use (complete with handles on the mobile units which are bolt-on)
- Exterior grade plywood shelves with steel surround for edge protection. Shelves are centrally positioned within the unit
- » Static units are movable with a pallet truck
- » Mobile units are fitted with 2 fixed & 2 swivel braked 200mm castors (125mm on DC5's)
- Complete with hasp & staple lock with padlock facility (padlock not included)
- » Extra shelves are available call for details.
- 500kg load capacity (300kg on the DC5's)















Static Units

Overall Size		Storage Va Cabinets		Storage Vault Cabinets with 1 Shelf			
L x W x H mm	Weight kg	Model	Price	Weight kg	Model	Price	
1090 x 730 x 1380	107	DC20PS	£1006.60	123	DC21PS	£1106.40	
1090 x 830 x 1180	110	DC40PS	£1007.40	126	DC41PS	£1107.90	
1290 x 730 x 1180	110	DC30PS	£1008.70	126	DC31PS	£1110.65	
1290 x 830 x 1380	112	DC10PS	£1060.15	128	DC11PS	£1163.05	
1310 x 535 x 1060	108	DC50PS	£991.55	124	DC51PS	£1082.50	

Mobile Units

Overall Size	Storage Vault Cabinets			Storage Vault Cabinets with 1 Shelf			
L x W x H mm	Weight kg	Model	Price	Weight kg	Model	Price	
1090 x 730 x 1460	109	DC20PH	£1056.90	125	DC21PH	£1156.70	
1090 x 830 x 1260	112	DC40PH	£1057.65	128	DC41PH	£1158.25	
1290 x 730 x 1260	112	DC30PH	£1059.00	128	DC31PH	£1160.95	
1290 x 830 x 1460	114	DC10PH	£1110.50	130	DC11PH	£1211.40	
1310 x 535 x 1060	110	DC50PY	£998.35	126	DC51PY	£1089.45	



Side & roof panels are manufactured from 0.6mm cold rolled corrugated galvanised steel & for additional strength the unit has a structural frame which is fitted at each end & at the centre of the unit

- The sump is manufactured from 2mm structural grade galvanised steel & is fitted with base plinths to keep the underside of the units out of contact with the ground
- The double doors, fitted with 3 upper & 3 lower vents in each door, are located on one of the short sides of the unit & are secured with a Kale mortis lock with cylinder (152R)
- Complete with two sets of shelves (60kg shelf U.D.L.) on each of the long sides of the unit
- Fork lifting pockets are underneath the units

This unit will be delivered by an articulated vehicle, therefore please ensure that a vehicle of this size can access your premises before ordering and advise us accordingly. You will require an appropriate size-capacity fork lift truck or Hiab unit to offload this item from the delivery vehicle. **IMPORTANT:** our standard delivery doesn't include any offloading due to insurance restrictions - if you require this service then please call for details. The unit must be positioned on a solid level surface, ideally concrete of circa 150mm in depth and 100mm bigger overall than the unit. The purpose of this is to ensure the unit does not settle unevenly when placed in position.

External Size L x W x H mm	Internal Size L x W x H mm	Sump Capacity Litres	Model	Price
2184 x 2168 x 2198	2018 x 2080 x 1935	415	EMDL415	P.O.A.
2184 x 2928 x 2198	2018 x 2840 x 1935	560	EMDL560	P.O.A.
2184 x 3778 x 2198	2018 x 3690 x 1935	727	EMDL727	P.O.A.

Hazardous Material Stores



Manufactured in accordance with PPG 26 regulations as per the requirement of the Environment Agency

(i) Information

HAZARDOUS STORES TO MEET ALL YOUR STORAGE NEEDS















- » Base is manufactured from 3mm mild steel
- » Corner posts, main rails & cross members are rolled hollow section
- The roof is pressed with suitable bracing & fully welded around the perimeter, while the back, side & door panels are pressed from 2mm mild steel sheet & corrugated where required
- » Fitted with a single cam door gear which is secured with a padlock (not supplied)
- » Fully seam welded sump fitted with a removable galvanised grid mesh deck
- » High & low louvre vents complete with flame arrestor mesh as standard
- » Shot blasted before being painted (RAL 6029) for greater durability

This unit will be delivered by an articulated vehicle, therefore please ensure that a vehicle of this size can access your premises before ordering and advise us accordingly. You will require an appropriate size-capacity fork lift truck or Hiab unit to offload this item from the delivery vehicle. **IMPORTANT**: our standard delivery doesn't include any offloading due to insurance restrictions - if you require this service then please call for details. The unit must be positioned on a solid level surface, ideally concrete of circa 150mm in depth and 100mm bigger overall than the unit. The purpose of this is to ensure the unit does not settle unevenly when placed in position.

Model	1	2	3	4	5
External Size: H x W x L mm Sump Capacity: Litres	2658 x 2160 x 2160 650	2658 x 2440 x 3000 1098	2350 x 800 x 2500 450	3000 x 1500 x 2403 1125	2625 x 2440 x 5920 2196
Shelves:	Shelving Units each side of the door	Shelving Units each side of the door	2 Middle Shelves	2 Middle Shelves	3 sets of Double Shelves
Type of Door:	775mm Wing Door	1250mm Wing Door	Sliding Doors	Sliding Doors	1250mm Wing Door
Model: Price	ECS0650 P.O.A.	ECS1098 P.O.A.	ECS0450 P.O.A.	ECS1125 P.O.A.	ECS2196 P.O.A.



Grenadier® Lock Up Security Cage

- Manufactured from 50 x 50mm mesh panels & galvanised roof
- Complete with a hasp & staple locking facility (padlock not supplied)



N.B. A Fork Lift will be needed to unload these units

Overall Size H x W x D mm	Weight kg	Model	Price
1950 x 1605 x 990	100	GLC12Z	£2345.30
1950 x 2545 x 990	150	GLC15Z	£3239.30
1950 x 3485 x 990	160	GLC18Z	£3768.30

Grenadier® Security Cage with Solid Roof & Base



- All welded unit constructed from steel angle & 50 x 50mm weld mesh
- » Unit has a padlock facility (padlock not supplied)
- » Ideal for the security of both hazardous & valuable materials
- Blue powder coat finish
- N.B. A Fork Lift will be needed to unload this unit





Overall Size H x W x D mm	Internal Size H x W x D mm	No of Doors	Weight kg	Model	Price
1830 x 980 x 980	1710 x 900 x 920	2	75	GLC40Z	£1735.25







- Fully assembled units constructed from steel angle & 25 x 25mm weld mesh
- Units have a padlock facility (padlock not supplied)
- » Ideal for the security of both hazardous & valuable materials
- » Blue powder coat finish
- » Optional hazardous chemical sign available - see page 99 for details

N.B. A Fork Lift will be needed to unload these units

Overall Size H x W x D mm	Internal Size H x W x D mm	No of Doors	Weight kg	Model	Price
830 x 700 x 700	790 x 690 x 690	1	37	SCB01Z	£701.15
830 x 1400 x 700	790 x 1380 x 690	2	52	SCB02Z	£1175.25
1630 x 700 x 700	1585 x 690 x 690	1	55	SCB03Z	£1246.45
1630 x 700 x 1000	1585 x 690 x 990	1	58	SCB06Z	£1394.10
1630 x 1400 x 700	1585 x 1380 x 690	2	110	SCB04Z	£1890.15
1630 x 1400 x 1000	1585 x 1380 x 990	2	113	SCB07Z	£2047.55
1630 x 2070 x 700	1585 x 2040 x 690	2	124	SCB05Z	£2377.20
1630 x 2070 x 1000	1585 x 2040 x 990	2	127	SCB08Z	£2503.95

» Fully welded construction Grenadier® Security Cage with Lift Up Lid Hinged lift up lid is assisted by gas struts When the lid is shut the front doors will not open leaving a completely secure & enclosed unit Units have a hasp & staple padlock facility (padlock not included) » Incorporates 2 fork lift pockets » Optional hazardous chemical sign available - see page 99 for details GRENADIER CAGES FROM ONLY £1600.25 GBC12Z Overall Size H x W x D mm Internal Weight Height mm GBC127 830 x 1260 x 1260 710 150 GBC12Z £1600.25 N.B. A Fork Lift will be needed to unload these units 1250 x 1860 x 1260 1130 GBC18Z £2027.80 **Grenadier® Knock Down Security Cages** » This unit is supplied knock down for easy access into your premises. Manufactured from 50 x 50mm mesh panels & galvanised roof Complete with a hasp & staple locking facility (padlock not supplied) GLC25Z & GLC35Z supplied with a pallet FROM ONLY base which incorporates fork lift pockets N.B. A Fork Lift will be needed to unload these units £1762.85 GRENADIER GLC20Z CAGES GLC25Z Painted Galvanised Overall Size Weight Description H x W x D mm kg Model Price Model Price Cage Only 1830 x 1260 x 1010 90 GLC20Z £1762.85 GLC30Z £2066.55 GLC20Z Folded

Cage with Pallet Base

2000 x 1290 x 1010

135

GLC25Z

£2333.10

GLC35Z

£2522.20

(on a pallet)

Grenadier® Security Cages











INDUSTRIAL GALVANISED CAGES WITH POWDER COATED RED DOORS







FROM ONLY **£957.50**





- Fully assembled constructed from steel angle & 50 x 50mm weld mesh
- » Units have a padlock facility (padlock not supplied)

SCR06Z

- Ideal for the security of both hazardous & valuable materials
- » Galvanised cage with powder coated red doors
- » Optional hazardous chemical sign available - see page 99 for details

Overall Size H x W x D mm	Internal Size H x W x D mm	No of Doors	Weight kg	Model	Price
830 x 700 x 700	790 x 690 x 690	1	37	SCR01Z	£957.50
830 x 1400 x 700	790 x 1380 x 690	2	52	SCR02Z	£1462.45
1630 x 700 x 700	1585 x 690 x 690	1	55	SCR03Z	£1573.25
1630 x 700 x 1000	1585 x 690 x 990	1	58	SCR06Z	£2345.15
1630 x 1400 x 700	1585 x 1380 x 690	2	110	SCR04Z	£2941.55
1630 x 1400 x 1000	1585 x 1380 x 990	2	113	SCR07Z	£1797.10
1630 x 2070 x 700	1585 x 2040 x 690	2	124	SCR05Z	£2467.75
1630 x 2070 x 1000	1585 x 2040 x 990	2	127	SCR08Z	£2760.25

Grenadier® Knock Down Gas Cylinder Cages

- These units are supplied knock down for easy access into your premises
- » Robust 25 x 25mm mesh panels easily bolt together to create a strong & rigid frame. These units also incorporate a galvanised roof



N.B. A Fork Lift will be needed to unload these units

GLC55Z

Includes	Overall Size H x W x D mm	Weight kg	Model	Price
Knock Down Gas Cylinder C	ages			
1 x Back Panel, 2 x Side Panels, 1 x Door Panel & 1 x Roof Panel	1860 x 1007 x 1070	81	GLC50Z	£1248.95
2 x Back Panels, 2 x Side Panels, 2 x Door Panels & 1 x Roof Panel	1860 x 1954 x 1070	125	GLC60Z	£1813.15
2 x Back Panels, 4 x Side Panels, 2 x Door Panels & 1 x Roof Panel	1860 x 1954 x 2045	177	GLC70Z	£2408.30
Knock Down Gas Cylinder Cages with I	Floor Grid Panel			
1 x Back Panel, 2 x Side Panels, 1 x Door Panel, 1 x Roof Panel & 1 x Floor Grid Panel	1860 x 1007 x 1070	99	GLC55Z	£1356.75
2 x Back Panels, 2 x Side Panels, 2 x Door Panels, 1 x Roof Panel & 1 x Floor Grid Panel	1860 x 1954 x 1070	161	GLC65Z	£2158.35
2 x Back Panels, 4 x Side Panels, 2 x Door Panels, 1 x Roof Panel & 1 x Floor Grid Panel	1860 x 1954 x 2045	249	GLC75Z	£3157.55

Supplied Knock Down

Grenadier® Heavy Duty Security Cages



- Mobile units are fitted with 4 x 100mm nylon, 2 braked swivel castors (*N.B add 115mm to the height*)
- >> Two finishes available: powder coated yellow or galvanised body with powder coated yellow doors

N.B. A Fork Lift will be needed to unload these units

	Internal Size	Internal Size No of Wt H x W x D mm Doors kg		Static			Galvanised - Yellow Doors Static Mobile				Shelf to suit Factory Fitted (one per unit)		
II X W X D IIIIII	11 X W X D 111111	D0013	M	Model	Price	Model	Price	Model	Price	Model	Price	Model	Price
880 x 700 x 700	790 x 690 x 690	1	37	SCS01Z	£813.50	SCS01S	£891.85	SCG01Z	£1019.15	SCG01S	£1098.70	-	-
880 x 1400 x 700	790 x 1380 x 690	2	52	SCS02Z	£1316.50	SCS02S	£1395.15	SCG02Z	£1560.45	SCG02S	£1640.00	-	-
1680 x 700 x 700	1585 x 690 x 690	1	55	SCS03Z	£1385.10	SCS03S	£1463.65	SCG03Z	£1672.85	SCG03S	£1752.40	SCS003	£112.20
1680 x 1400 x 700	1585 x 1380 x 690	2	110	SCS04Z	£2113.15	SCS04S	£2189.65	SCG04Z	£2561.75	SCG04S	£2641.35	SCS004	£188.60
1680 x 2070 x 700	1585 x 2040 x 690	2	124	SCS05Z	£2552.90	SCS05S	£2631.15	SCG05Z	£3139.60	SCG05S	£3219.15	SCS005	£249.85
	Optional Hazardous Sign - Factory Fitted								SCS001	£86.10			

SCS05Z fitted with SCS001




Troax Cage

Troax Cage is a quick and easy theft deterrent, suitable for warehouses or on construction sites. It has a flexible and modular construction, and all depths are possible from 1200mm up to the infinity. Also the depth can be extended as and when needed using additional modular panels and brackets. The unique design of the hinge enables a 270 degrees opening of both doors.





Boxes Overall Size H x W x D mm		Finish	Model	Price
Mini Box	2230 x 1200	Grey - RAL 7037	UK800298	£1017.81
No. 1	x 1200	Hot Dip Galvanised	UK800299	£1288.07
Maxi Box 22	2230 x 2200	Grey - RAL 7037	UK800295	£1191.63
No. 1	No. 1 x 1200	Hot Dip Galvanised	UK800296	£1523.74
Maxi Box	2230 x 2200	Grey - RAL 7037	UK800293	£1581.57
No. 2	x 2400	Hot Dip Galvanised	UK800294	£2061.37
Maxi Box	2230 x 2200	Grey - RAL 7037	UK800290	£2053.40
No. 3	x 3600	Hot Dip Galvanised	UK800291	£2680.90
Maxi Box	2230 x 2200	Grey - RAL 7037	UK800288	£3176.34
No. 4	x 4800	Hot Dip Galvanised	UK800289	£3218.53
Maxi Box	2230 x 2200	Grey - RAL 7037	UK800286	£2833.29
No. 5	x 6000	Hot Dip Galvanised	UK800287	£3756.14



Single & Double Lockers

Single and Double Lockers customise storage spaces depending on the specific need required. The single doors can be created out of eight standard wall panel widths. Both the single and double lockers can be built

out of UR350 panels (19x19mm framework) or UX450 panels (20x30mm framework). Securing plates for padlocks are standard.





PRICE ON APPLICATION

Storage, Security Cages & Hazardous




- » Provision for a padlock
- >> Complete with 'Highly Flammable' sign
- Useable distance between shelves: 720mm
- Manufactured in angle iron with sides, end & top infilled with metal strip. Base of inverted angle
- » Mobile models have a push handle at one end
- » Designed to carry up to 16 'calor gas' type cylinders
- » Hinged lockable doors
- » Internal size of 1560W x 840Dmm



Grenadier® Cylinder Storage Lock-up Cages







CP601Z

- Permanently fixed or pallet base units
- Complete with 'Highly Flammable' sign
- Manufactured in angle iron infilled with tough iron mesh
- » Cylinders held by retaining chain
- » Base is drilled for fixing points
- CS512G & CP612G are of a slightly different design as shown in the picture

N.B. A forklift will be needed to unload these units